

Inria

RESEARCH CENTER
Paris

FIELD

Activity Report 2019

Section Software

Edition: 2020-03-21

ALGORITHMICS, PROGRAMMING, SOFTWARE AND ARCHITECTURE	
1. ANTIQUE Project-Team	4
2. CAMBIUM Project-Team	9
3. CASCADE Project-Team (section vide)	12
4. KOPERNIC Team	13
5. OURAGAN Project-Team	15
6. PARKAS Project-Team	17
7. PLR2 Project-Team	23
8. POLSYS Project-Team	27
9. PROSECCO Project-Team	29
10. SECRET Project-Team	33
APPLIED MATHEMATICS, COMPUTATION AND SIMULATION	
11. CAGE Project-Team	34
12. MATHERIALS Project-Team	35
13. MATHRISK Project-Team	37
14. MOKAPLAN Project-Team	39
15. QUANTIC Project-Team (section vide)	40
16. SIERRA Project-Team	41
DIGITAL HEALTH, BIOLOGY AND EARTH	
17. ANGE Project-Team	42
18. ARAMIS Project-Team	44
19. COMMEDIA Project-Team	46
20. MAMBA Project-Team	47
21. REO Team (section vide)	49
22. SERENA Project-Team	50
NETWORKS, SYSTEMS AND SERVICES, DISTRIBUTED COMPUTING	
23. ALPINES Project-Team	53
24. DELYS Project-Team (section vide)	55
25. DYOGENE Project-Team	56
26. EVA Project-Team	57
27. GANG Project-Team	59
28. GANG Project-Team	60
29. MIMOVE Project-Team	61
30. WHISPER Project-Team	63
PERCEPTION, COGNITION AND INTERACTION	
31. ALMANACH Project-Team	64
32. COML Team	68
33. RITS Project-Team	69
34. VALDA Project-Team	70
35. WILLOW Team	71

ANTIQUÉ Project-Team

6. New Software and Platforms

6.1. APRON

SCIENTIFIC DESCRIPTION: The APRON library is intended to be a common interface to various underlying libraries/abstract domains and to provide additional services that can be implemented independently from the underlying library/abstract domain, as shown by the poster on the right (presented at the SAS 2007 conference). You may also look at:

FUNCTIONAL DESCRIPTION: The Apron library is dedicated to the static analysis of the numerical variables of a program by abstract interpretation. Its goal is threefold: provide ready-to-use numerical abstractions under a common API for analysis implementers, encourage the research in numerical abstract domains by providing a platform for integration and comparison of domains, and provide a teaching and demonstration tool to disseminate knowledge on abstract interpretation.

- Participants: Antoine Miné and Bertrand Jeannot
- Contact: Antoine Miné
- URL: <http://apron.cri.ensmp.fr/library/>

6.2. Astrée

The AstréeA Static Analyzer of Asynchronous Software

KEYWORDS: Static analysis - Static program analysis - Program verification - Software Verification - Abstraction

SCIENTIFIC DESCRIPTION: Astrée analyzes structured C programs, with complex memory usages, but without dynamic memory allocation nor recursion. This encompasses many embedded programs as found in earth transportation, nuclear energy, medical instrumentation, and aerospace applications, in particular synchronous control/command. The whole analysis process is entirely automatic.

Astrée discovers all runtime errors including:

undefined behaviors in the terms of the ANSI C99 norm of the C language (such as division by 0 or out of bounds array indexing),

any violation of the implementation-specific behavior as defined in the relevant Application Binary Interface (such as the size of integers and arithmetic overflows),

any potentially harmful or incorrect use of C violating optional user-defined programming guidelines (such as no modular arithmetic for integers, even though this might be the hardware choice),

failure of user-defined assertions.

FUNCTIONAL DESCRIPTION: Astrée analyzes structured C programs, with complex memory usages, but without dynamic memory allocation nor recursion. This encompasses many embedded programs as found in earth transportation, nuclear energy, medical instrumentation, and aerospace applications, in particular synchronous control/command. The whole analysis process is entirely automatic.

Astrée discovers all runtime errors including: - undefined behaviors in the terms of the ANSI C99 norm of the C language (such as division by 0 or out of bounds array indexing), - any violation of the implementation-specific behavior as defined in the relevant Application Binary Interface (such as the size of integers and arithmetic overflows), - any potentially harmful or incorrect use of C violating optional user-defined programming guidelines (such as no modular arithmetic for integers, even though this might be the hardware choice), - failure of user-defined assertions.

Astrée is a static analyzer for sequential programs based on abstract interpretation. The Astrée static analyzer aims at proving the absence of runtime errors in programs written in the C programming language.

- Participants: Antoine Miné, Jérôme Feret, Laurent Mauborgne, Patrick Cousot, Radhia Cousot and Xavier Rival
- Partners: CNRS - ENS Paris - AbsInt Angewandte Informatik GmbH
- Contact: Patrick Cousot
- URL: <http://www.astree.ens.fr/>

6.3. AstréeA

The AstréeA Static Analyzer of Asynchronous Software

KEYWORDS: Static analysis - Static program analysis

SCIENTIFIC DESCRIPTION: AstréeA analyzes C programs composed of a fixed set of threads that communicate through a shared memory and synchronization primitives (mutexes, FIFOs, blackboards, etc.), but without recursion nor dynamic creation of memory, threads nor synchronization objects. AstréeA assumes a real-time scheduler, where thread scheduling strictly obeys the fixed priority of threads. Our model follows the ARINC 653 OS specification used in embedded industrial aeronautic software. Additionally, AstréeA employs a weakly-consistent memory semantics to model memory accesses not protected by a mutex, in order to take into account soundly hardware and compiler-level program transformations (such as optimizations). AstréeA checks for the same run-time errors as Astrée, with the addition of data-races.

FUNCTIONAL DESCRIPTION: AstréeA is a static analyzer prototype for parallel software based on abstract interpretation. The AstréeA prototype is a fork of the Astrée static analyzer that adds support for analyzing parallel embedded C software.

- Participants: Antoine Miné, Jérôme Feret, Patrick Cousot, Radhia Cousot and Xavier Rival
- Partners: CNRS - ENS Paris - AbsInt Angewandte Informatik GmbH
- Contact: Patrick Cousot
- URL: <http://www.astreea.ens.fr/>

6.4. ClangML

KEYWORD: Compilation

FUNCTIONAL DESCRIPTION: ClangML is an OCaml binding with the Clang front-end of the LLVM compiler suite. Its goal is to provide an easy to use solution to parse a wide range of C programs, that can be called from static analysis tools implemented in OCaml, which allows to test them on existing programs written in C (or in other idioms derived from C) without having to redesign a front-end from scratch. ClangML features an interface to a large set of internal AST nodes of Clang, with an easy to use API. Currently, ClangML supports all C language AST nodes, as well as a large part of the C nodes related to C++ and Objective-C.

- Participants: Devin Mccoughlin, François Berenger and Pippijn Van Steenhoven
- Contact: Xavier Rival
- URL: <https://github.com/Antique-team/clangml/tree/master/clang>

6.5. FuncTion

SCIENTIFIC DESCRIPTION: FuncTion is based on an extension to liveness properties of the framework to analyze termination by abstract interpretation proposed by Patrick Cousot and Radhia Cousot. FuncTion infers ranking functions using piecewise-defined abstract domains. Several domains are available to partition the ranking function, including intervals, octagons, and polyhedra. Two domains are also available to represent the value of ranking functions: a domain of affine ranking functions, and a domain of ordinal-valued ranking functions (which allows handling programs with unbounded non-determinism).

FUNCTIONAL DESCRIPTION: FuncTion is a research prototype static analyzer to analyze the termination and functional liveness properties of programs. It accepts programs in a small non-deterministic imperative language. It is also parameterized by a property: either termination, or a recurrence or a guarantee property (according to the classification by Manna and Pnueli of program properties). It then performs a backward static analysis that automatically infers sufficient conditions at the beginning of the program so that all executions satisfying the conditions also satisfy the property.

- Participants: Antoine Miné and Caterina Urban
- Contact: Caterina Urban
- URL: <http://www.di.ens.fr/~urban/FuncTion.html>

6.6. HOO

Heap Abstraction for Open Objects

FUNCTIONAL DESCRIPTION: JSAna with HOO is a static analyzer for JavaScript programs. The primary component, HOO, which is designed to be reusable by itself, is an abstract domain for a dynamic language heap. A dynamic language heap consists of open, extensible objects linked together by pointers. Uniquely, HOO abstracts these extensible objects, where attribute/field names of objects may be unknown. Additionally, it contains features to keeping precise track of attribute name/value relationships as well as calling unknown functions through desynchronized separation.

As a library, HOO is useful for any dynamic language static analysis. It is designed to allow abstractions for values to be easily swapped out for different abstractions, allowing it to be used for a wide-range of dynamic languages outside of JavaScript.

- Participant: Arlen Cox
- Contact: Arlen Cox

6.7. MemCAD

The MemCAD static analyzer

KEYWORDS: Static analysis - Abstraction

FUNCTIONAL DESCRIPTION: MemCAD is a static analyzer that focuses on memory abstraction. It takes as input C programs, and computes invariants on the data structures manipulated by the programs. It can also verify memory safety. It comprises several memory abstract domains, including a flat representation, and two graph abstractions with summaries based on inductive definitions of data-structures, such as lists and trees and several combination operators for memory abstract domains (hierarchical abstraction, reduced product). The purpose of this construction is to offer a great flexibility in the memory abstraction, so as to either make very efficient static analyses of relatively simple programs, or still quite efficient static analyses of very involved pieces of code. The implementation consists of over 30 000 lines of ML code, and relies on the ClangML front-end. The current implementation comes with over 300 small size test cases that are used as regression tests.

- Participants: Antoine Toubhans, François Berenger, Huisong Li and Xavier Rival
- Contact: Xavier Rival
- URL: <http://www.di.ens.fr/~rival/memcad.html>

6.8. KAPPA

A rule-based language for modeling interaction networks

KEYWORDS: Systems Biology - Modeling - Static analysis - Simulation - Model reduction

SCIENTIFIC DESCRIPTION: OpenKappa is a collection of tools to build, debug and run models of biological pathways. It contains a compiler for the Kappa Language, a static analyzer (for debugging models), a simulator, a compression tool for causal traces, and a model reduction tool.

FUNCTIONAL DESCRIPTION: Kappa is provided with the following tools: - a compiler - a stochastic simulator - a static analyzer - a trace compression algorithm - an ODE generator.

RELEASE FUNCTIONAL DESCRIPTION: On line UI, Simulation is based on a new data-structure (see ESOP 2017), New abstract domains are available in the static analyzer (see SASB 2016), Local traces (see TCBB 2018), Reasoning on polymers (see SASB 2018).

- Participants: Jean Krivine, Jérôme Feret, Kim-Quyen Ly, Pierre Boutillier, Russ Harmer, Vincent Danos and Walter Fontana
- Partners: ENS Lyon - Université Paris-Diderot - HARVARD Medical School
- Contact: Jérôme Feret
- URL: <http://www.kappalanguage.org/>

6.9. QUICr

FUNCTIONAL DESCRIPTION: QUICr is an OCaml library that implements a parametric abstract domain for sets. It is constructed as a functor that accepts any numeric abstract domain that can be adapted to the interface and produces an abstract domain for sets of numbers combined with numbers. It is relational, flexible, and tunable. It serves as a basis for future exploration of set abstraction.

- Participant: Arlen Cox
- Contact: Arlen Cox

6.10. LCertify

KEYWORD: Compilation

SCIENTIFIC DESCRIPTION: The compilation certification process is performed automatically, thanks to a prover designed specifically. The automatic proof is done at a level of abstraction which has been defined so that the result of the proof of equivalence is strong enough for the goals mentioned above and so that the proof obligations can be solved by efficient algorithms.

FUNCTIONAL DESCRIPTION: Abstract interpretation, Certified compilation, Static analysis, Translation validation, Verifier. The main goal of this software project is to make it possible to certify automatically the compilation of large safety critical software, by proving that the compiled code is correct with respect to the source code: When the proof succeeds, this guarantees semantic equivalence. Furthermore, this approach should allow to meet some domain specific software qualification criteria (such as those in DO-178 regulations for avionics software), since it allows proving that successive development levels are correct with respect to each other i.e., that they implement the same specification. Last, this technique also justifies the use of source level static analyses, even when an assembly level certification would be required, since it establishes separately that the source and the compiled code are equivalent. ntees that no compiler bug did cause incorrect code to be generated.

- Participant: Xavier Rival
- Partners: CNRS - ENS Paris
- Contact: Xavier Rival
- URL: <http://www.di.ens.fr/~rival/lcertify.html>

6.11. Zarith

FUNCTIONAL DESCRIPTION: Zarith is a small (10K lines) OCaml library that implements arithmetic and logical operations over arbitrary-precision integers. It is based on the GNU MP library to efficiently implement arithmetic over big integers. Special care has been taken to ensure the efficiency of the library also for small integers: small integers are represented as Caml unboxed integers and use a specific C code path. Moreover, optimized assembly versions of small integer operations are provided for a few common architectures.

Zarith is currently used in the Astrée analyzer to enable the sound analysis of programs featuring 64-bit (or larger) integers. It is also used in the Frama-C analyzer platform developed at CEA LIST and Inria Saclay.

- Participants: Antoine Miné, Pascal Cuoq and Xavier Leroy
- Contact: Antoine Miné
- URL: <http://forge.ocamlcore.org/projects/zarith>

6.12. PYPPAI

Pyro Probabilistic Program Analyzer

KEYWORDS: Probability - Static analysis - Program verification - Abstraction

FUNCTIONAL DESCRIPTION: PYPPAI is a program analyzer to verify the correct semantic definition of probabilistic programs written in Pyro. At the moment, PYPPAI verifies consistency conditions between models and guides used in probabilistic inference programs.

PYPPAI is written in OCaml and uses the `pym1` Python in OCaml library. It features a numerical abstract domain based on `Apron`, an abstract domain to represent zones in tensors, and dedicated abstract domains to describe distributions and states in probabilistic programs.

- Contact: Xavier Rival
- URL: <https://github.com/wonyeol/static-analysis-for-support-match>

CAMBIUM Project-Team

5. New Software and Platforms

5.1. OCaml

KEYWORDS: Functional programming - Static typing - Compilation

FUNCTIONAL DESCRIPTION: The OCaml language is a functional programming language that combines safety with expressiveness through the use of a precise and flexible type system with automatic type inference. The OCaml system is a comprehensive implementation of this language, featuring two compilers (a bytecode compiler, for fast prototyping and interactive use, and a native-code compiler producing efficient machine code for x86, ARM, PowerPC and System Z), a debugger, a documentation generator, a compilation manager, a package manager, and many libraries contributed by the user community.

- Participants: Damien Doligez, Xavier Leroy, Fabrice Le Fessant, Luc Maranget, Gabriel Scherer, Alain Frisch, Jacques Garrigue, Marc Shinwell, Jeremy Yallop and Leo White
- Contact: Damien Doligez
- URL: <https://ocaml.org/>

5.2. CompCert

The CompCert formally-verified C compiler

KEYWORDS: Compilers - Formal methods - Deductive program verification - C - Coq

FUNCTIONAL DESCRIPTION: CompCert is a compiler for the C programming language. Its intended use is the compilation of life-critical and mission-critical software written in C and meeting high levels of assurance. It accepts most of the ISO C 99 language, with some exceptions and a few extensions. It produces machine code for the ARM, PowerPC, RISC-V, and x86 architectures. What sets CompCert C apart from any other production compiler, is that it is formally verified to be exempt from miscompilation issues, using machine-assisted mathematical proofs (the Coq proof assistant). In other words, the executable code it produces is proved to behave exactly as specified by the semantics of the source C program. This level of confidence in the correctness of the compilation process is unprecedented and contributes to meeting the highest levels of software assurance. In particular, using the CompCert C compiler is a natural complement to applying formal verification techniques (static analysis, program proof, model checking) at the source code level: the correctness proof of CompCert C guarantees that all safety properties verified on the source code automatically hold as well for the generated executable.

RELEASE FUNCTIONAL DESCRIPTION: Novelties include a formally-verified type checker for CompCert C, a more careful modeling of pointer comparisons against the null pointer, algorithmic improvements in the handling of deeply nested struct and union types, much better ABI compatibility for passing composite values, support for GCC-style extended inline asm, and more complete generation of DWARF debugging information (contributed by AbsInt).

- Participants: Xavier Leroy, Sandrine Blazy, Jacques-Henri Jourdan, Sylvie Boldo and Guillaume Melquiond
- Partner: AbsInt Angewandte Informatik GmbH
- Contact: Xavier Leroy
- URL: <http://compcert.inria.fr/>

5.3. Diy

Do It Yourself

KEYWORD: Parallelism

FUNCTIONAL DESCRIPTION: The diy suite provides a set of tools for testing shared memory models: the litmus tool for running tests on hardware, various generators for producing tests from concise specifications, and herd, a memory model simulator. Tests are small programs written in x86, Power or ARM assembler that can thus be generated from concise specification, run on hardware, or simulated on top of memory models. Test results can be handled and compared using additional tools.

- Participants: Jade Alglave and Luc Maranget
- Partner: University College London UK
- Contact: Luc Maranget
- URL: <http://diy.inria.fr/>

5.4. Menhir

KEYWORDS: Compilation - Context-free grammars - Parsing

FUNCTIONAL DESCRIPTION: Menhir is a LR(1) parser generator for the OCaml programming language. That is, Menhir compiles LR(1) grammar specifications down to OCaml code. Menhir was designed and implemented by François Pottier and Yann Régis-Gianas.

- Contact: François Pottier
- Publications: [A Simple, Possibly Correct LR Parser for C11 - Reachability and Error Diagnosis in LR\(1\) Parsers](#)

5.5. CFML

Interactive program verification using characteristic formulae

KEYWORDS: Coq - Software Verification - Deductive program verification - Separation Logic

FUNCTIONAL DESCRIPTION: The CFML tool supports the verification of OCaml programs through interactive Coq proofs. CFML proofs establish the full functional correctness of the code with respect to a specification. They may also be used to formally establish bounds on the asymptotic complexity of the code. The tool is made of two parts: on the one hand, a characteristic formula generator implemented as an OCaml program that parses OCaml code and produces Coq formulae, and, on the other hand, a Coq library that provides notations and tactics for manipulating characteristic formulae interactively in Coq.

- Participants: Arthur Charguéraud, Armaël Guéneau and François Pottier
- Contact: Arthur Charguéraud
- URL: <http://www.chargueraud.org/softs/cfml/>

5.6. TLAPS

TLA+ proof system

KEYWORD: Proof assistant

SCIENTIFIC DESCRIPTION: TLAPS is a platform for developing and mechanically verifying proofs about TLA+ specifications. The TLA+ proof language is hierarchical and explicit, allowing a user to decompose the overall proof into proof steps that can be checked independently. TLAPS consists of a proof manager that interprets the proof language and generates a collection of proof obligations that are sent to backend verifiers. The current backends include the tableau-based prover Zenon for first-order logic, Isabelle/TLA+, an encoding of TLA+ set theory as an object logic in the logical framework Isabelle, an SMT backend designed for use with any SMT-lib compatible solver, and an interface to a decision procedure for propositional temporal logic.

FUNCTIONAL DESCRIPTION: TLAPS is a proof assistant for the TLA+ specification language.

NEWS OF THE YEAR: Work in 2019 focused on providing support for reasoning about TLA+'s ENABLED and action composition constructs. We also prepared a minor release, fixing some issues and switching to Z3 as the default SMT back-end solver.

- Participants: Damien Doligez, Stephan Merz and Ioannis Filippidis
- Contact: Stephan Merz
- URL: <https://tla.msr-inria.inria.fr/tlaps/content/Home.html>

5.7. ZENON

KEYWORD: Automated theorem proving

FUNCTIONAL DESCRIPTION: Zenon is an automatic theorem prover based on the tableaux method. Given a first-order statement as input, it outputs a fully formal proof in the form of a Coq proof script. It has special rules for efficient handling of equality and arbitrary transitive relations. Although still in the prototype stage, it already gives satisfying results on standard automatic-proving benchmarks.

Zenon is designed to be easy to interface with front-end tools (for example integration in an interactive proof assistant), and also to be retargeted to output scripts for different frameworks (for example, Isabelle and Dedukti).

- Author: Damien Doligez
- Contact: Damien Doligez
- URL: <http://zenon-prover.org/>

5.8. hevea

hevea is a fast latex to html translator.

KEYWORDS: LaTeX - Web

FUNCTIONAL DESCRIPTION: HEVEA is a LATEX to html translator. The input language is a fairly complete subset of LATEX 2 (old LATEX style is also accepted) and the output language is html that is (hopefully) correct with respect to version 5. HEVEA understands LATEX macro definitions. Simple user style files are understood with little or no modifications. Furthermore, HEVEA customisation is done by writing LATEX code.

HEVEA is written in Objective Caml, as many lexers. It is quite fast and flexible. Using HEVEA it is possible to translate large documents such as manuals, books, etc. very quickly. All documents are translated as one single html file. Then, the output file can be cut into smaller files, using the companion program HACHA. HEVEA can also be instructed to output plain text or info files.

Information on HEVEA is available at <http://hevea.inria.fr/>.

- Author: Luc Maranget
- Contact: Luc Maranget
- URL: <http://hevea.inria.fr/>

CASCADE Project-Team (section vide)

KOPERNIC Team

6. New Software and Platforms

6.1. SynDEX

KEYWORDS: Distributed - Optimization - Real time - Embedded systems - Scheduling analyses

SCIENTIFIC DESCRIPTION: SynDEX is a system level CAD software implementing the AAA methodology for rapid prototyping and for optimizing distributed real-time embedded applications. It is developed in OCAML.

Architectures are represented as graphical block diagrams composed of programmable (processors) and non-programmable (ASIC, FPGA) computing components, interconnected by communication media (shared memories, links and busses for message passing). In order to deal with heterogeneous architectures it may feature several components of the same kind but with different characteristics.

Two types of non-functional properties can be specified for each task of the algorithm graph. First, a period that does not depend on the hardware architecture. Second, real-time features that depend on the different types of hardware components, ranging amongst execution and data transfer time, memory, etc.. Requirements are generally constraints on deadline equal to period, latency between any pair of tasks in the algorithm graph, dependence between tasks, etc.

Exploration of alternative allocations of the algorithm onto the architecture may be performed manually and/or automatically. The latter is achieved by performing real-time multiprocessor schedulability analyses and optimization heuristics based on the minimization of temporal or resource criteria. For example while satisfying deadline and latency constraints they can minimize the total execution time (makespan) of the application onto the given architecture, as well as the amount of memory. The results of each exploration is visualized as timing diagrams simulating the distributed real-time implementation.

Finally, real-time distributed embedded code can be automatically generated for dedicated distributed real-time executives, possibly calling services of resident real-time operating systems such as Linux/RTAI or Osek for instance. These executives are deadlock-free, based on off-line scheduling policies. Dedicated executives induce minimal overhead, and are built from processor-dependent executive kernels. To this date, executive kernels are provided for: TMS320C40, PIC18F2680, i80386, MC68332, MPC555, i80C196 and Unix/Linux workstations. Executive kernels for other processors can be achieved at reasonable cost following these examples as patterns.

FUNCTIONAL DESCRIPTION: Software for optimising the implementation of embedded distributed real-time applications and generating efficient and correct by construction code

NEWS OF THE YEAR: We improved the distribution and scheduling heuristics to take into account the needs of co-simulation.

- Participant: Yves Sorel
- Contact: Yves Sorel
- URL: <http://www.syndex.org>

6.2. EVT Kopernic

KEYWORDS: Embedded systems - Worst Case Execution Time - Real-time application - Statistics

SCIENTIFIC DESCRIPTION: The EVT-Kopernic tool is an implementation of the Extreme Value Theory (EVT) for the problem of the statistical estimation of worst-case bounds for the execution time of a program on a processor. Our implementation uses the two versions of EVT - GEV and GPD - to propose two independent methods of estimation. Their results are compared and only results that are sufficiently close allow to validate an estimation. Our tool is proved predictable by its unique choice of block (GEV) and threshold (GPD) while proposing reproducible estimations.

FUNCTIONAL DESCRIPTION: EVT-Kopernic is tool proposing a statistical estimation for bounds on worst-case execution time of a program on a processor. The estimator takes into account dependences between execution times by learning from the history of execution, while dealing also with cases of small variability of the execution times.

NEWS OF THE YEAR: Any statistical estimator should come with an representative measurement protocole based on the processus of composition, proved correct. We propose the first such principle of composition while using a Bayesian modeling taking into account iteratively different measurement models. The composition model has been described in a patent submitted this year with a scientific publication under preparation.

- Participants: Adriana Gogonel and Liliana Cucu
- Contact: Adriana Gogonel
- URL: <http://inria-rscript.serveftp.com/>

OURAGAN Project-Team

6. New Software and Platforms

6.1. ISOTOP

Topology and geometry of planar algebraic curves

KEYWORDS: Topology - Curve plotting - Geometric computing

FUNCTIONAL DESCRIPTION: Isotop is a Maple software for computing the topology of an algebraic plane curve, that is, for computing an arrangement of polylines isotopic to the input curve. This problem is a necessary key step for computing arrangements of algebraic curves and has also applications for curve plotting. This software has been developed since 2007 in collaboration with F. Rouillier from Inria Paris - Rocquencourt.

- Participants: Luis Penaranda, Marc Pouget and Sylvain Lazard
- Contact: Marc Pouget
- Publications: [Rational Univariate Representations of Bivariate Systems and Applications - Separating Linear Forms for Bivariate Systems - On The Topology of Planar Algebraic Curves - New bivariate system solver and topology of algebraic curves - Improved algorithm for computing separating linear forms for bivariate systems - Solving bivariate systems using Rational Univariate Representations - On the topology of planar algebraic curves - On the topology of real algebraic plane curves - Bivariate triangular decompositions in the presence of asymptotes - Separating linear forms and Rational Univariate Representations of bivariate systems](#)
- URL: <https://isotop.gamble.loria.fr/>

6.2. RS

FUNCTIONAL DESCRIPTION: Real Roots isolation for algebraic systems with rational coefficients with a finite number of Complex Roots

- Participant: Fabrice Rouillier
- Contact: Fabrice Rouillier
- URL: <https://team.inria.fr/ouragan/software/>

6.3. A NewDsc

A New Descartes

KEYWORD: Scientific computing

FUNCTIONAL DESCRIPTION: Computations of the real roots of univariate polynomials with rational coefficients.

- Authors: Fabrice Rouillier, Alexander Kobel and Michael Sagraloff
- Partner: Max Planck Institute for Software Systems
- Contact: Fabrice Rouillier
- URL: <https://anewdsc.mpi-inf.mpg.de>

6.4. SIROPA

KEYWORDS: Robotics - Kinematics

FUNCTIONAL DESCRIPTION: Library of functions for certified computations of the properties of articulated mechanisms, particularly the study of their singularities

- Authors: Damien Chablat, Fabrice Rouillier, Guillaume Moroz and Philippe Wenger
- Partner: LS2N
- Contact: Guillaume Moroz
- URL: <http://siropa.gforge.inria.fr/>

6.5. MPFI

KEYWORD: Arithmetic

FUNCTIONAL DESCRIPTION: MPFI is a C library based on MPFR and GMP for multi precision floating point arithmetic.

- Contact: Fabrice Rouillier
- URL: <http://mpfi.gforge.inria.fr>

PARKAS Project-Team

5. New Software and Platforms

5.1. Cmmtest

FUNCTIONAL DESCRIPTION: Cmmtest is a tool for hunting concurrency compiler bugs. The Cmmtest tool performs random testing of C and C++ compilers against the C11/C++11 memory model. A test case is any well-defined, sequential C program, for each test case, cmmtest:

compiles the program using the compiler and compiler optimisations that are being tested,

runs the compiled program in an instrumented execution environment that logs all memory accesses to global variables and synchronisations,

compares the recorded trace with a reference trace for the same program, checking if the recorded trace can be obtained from the reference trace by valid eliminations, reorderings and introductions.

Cmmtest identified several mistaken write introductions and other unexpected behaviours in the latest release of the gcc compiler. These have been promptly fixed by the gcc developers.

- Participants: Anirudh Kumar, Francesco Zappa Nardelli, Pankaj More, Pankaj Pawan, Pankaj Prateek Kewalramani and Robin Morisset
- Contact: Francesco Zappa Nardelli
- URL: <http://www.di.ens.fr/~zappa/projects/cmmtest/>

5.2. GCC

KEYWORDS: Compilation - Polyhedral compilation

FUNCTIONAL DESCRIPTION: The GNU Compiler Collection includes front ends for C, C++, Objective-C, Fortran, Java, Ada, and Go, as well as libraries for these languages (libstdc++, libgccj,...). GCC was originally written as the compiler for the GNU operating system. The GNU system was developed to be 100% free software, free in the sense that it respects the user's freedom.

- Participants: Albert Cohen, Feng Li, Nhat Minh Le, Riyadh Baghdadi and Tobias Grosser
- Contact: Albert Cohen
- URL: <http://gcc.gnu.org/>

5.3. Heptagon

KEYWORDS: Compilers - Synchronous Language - Controller synthesis

FUNCTIONAL DESCRIPTION: Heptagon is an experimental language for the implementation of embedded real-time reactive systems. It is developed inside the Synchronics large-scale initiative, in collaboration with Inria Rhones-Alpes. It is essentially a subset of Lucid Synchronic, without type inference, type polymorphism and higher-order. It is thus a Lustre-like language extended with hierarchical automata in a form very close to SCADE 6. The intention for making this new language and compiler is to develop new aggressive optimization techniques for sequential C code and compilation methods for generating parallel code for different platforms. This explains much of the simplifications we have made in order to ease the development of compilation techniques.

The current version of the compiler includes the following features: - Inclusion of discrete controller synthesis within the compilation: the language is equipped with a behavioral contract mechanisms, where assumptions can be described, as well as an "enforce" property part. The semantics of this latter is that the property should be enforced by controlling the behaviour of the node equipped with the contract. This property will be enforced by an automatically built controller, which will act on free controllable variables given by the programmer. This extension has been named BZR in previous works. - Expression and compilation of array values with modular memory optimization. The language allows the expression and operations on arrays (access, modification, iterators). With the use of location annotations, the programmer can avoid unnecessary array copies.

- Participants: Adrien Guatto, Brice Gelineau, Cédric Pasteur, Eric Rutten, Gwenaël Delaval, Léonard Gérard and Marc Pouzet
- Partners: UGA - ENS Paris - Inria - LIG
- Contact: Gwenaël Delaval
- URL: <http://heptagon.gforge.inria.fr>

5.4. isl

FUNCTIONAL DESCRIPTION: isl is a library for manipulating sets and relations of integer points bounded by linear constraints. Supported operations on sets include intersection, union, set difference, emptiness check, convex hull, (integer) affine hull, integer projection, transitive closure (and over-approximation), computing the lexicographic minimum using parametric integer programming. It includes an ILP solver based on generalized basis reduction, and a new polyhedral code generator. isl also supports affine transformations for polyhedral compilation, and increasingly abstract representations to model source and intermediate code in a polyhedral framework.

- Participants: Albert Cohen, Sven Verdoolaege and Tobias Grosser
- Contact: Sven Verdoolaege
- URL: <http://freshmeat.net/projects/isl>

5.5. Lem

lightweight executable mathematics

FUNCTIONAL DESCRIPTION: Lem is a lightweight tool for writing, managing, and publishing large scale semantic definitions. It is also intended as an intermediate language for generating definitions from domain-specific tools, and for porting definitions between interactive theorem proving systems (such as Coq, HOL4, and Isabelle). As such it is a complementary tool to Ott. Lem resembles a pure subset of Objective Caml, supporting typical functional programming constructs, including top-level parametric polymorphism, datatypes, records, higher-order functions, and pattern matching. It also supports common logical mechanisms including list and set comprehensions, universal and existential quantifiers, and inductively defined relations. From this, Lem generates OCaml, HOL4, Coq, and Isabelle code.

- Participants: Francesco Zappa Nardelli, Peter Sewell and Scott Owens
- Contact: Francesco Zappa Nardelli
- URL: <http://www.cl.cam.ac.uk/~pes20/lem/>

5.6. Lucid Sychrone

FUNCTIONAL DESCRIPTION: Lucid Sychrone is a language for the implementation of reactive systems. It is based on the synchronous model of time as provided by Lustre combined with features from ML languages. It provides powerful extensions such as type and clock inference, type-based causality and initialization analysis and allows to arbitrarily mix data-flow systems and hierarchical automata or flows and valued signals.

RELEASE FUNCTIONAL DESCRIPTION: The language is still used for teaching and in our research but we do not develop it anymore. Nonetheless, we have integrated several features from Lucid Sychrone in new research prototypes described below. The Heptagon language and compiler are a direct descendent of it. The new language Zélus for hybrid systems modeling borrows many features originally introduced in Lucid Sychrone.

- Contact: Marc Pouzet
- URL: <http://www.di.ens.fr/~pouzet/lucid-sychrone/>

5.7. Lucy-n

Lucy-n: an n-synchronous data-flow programming language

FUNCTIONAL DESCRIPTION: Lucy-n is a language to program in the n-synchronous model. The language is similar to Lustre with a buffer construct. The Lucy-n compiler ensures that programs can be executed in bounded memory and automatically computes buffer sizes. Hence this language allows to program Kahn networks, the compiler being able to statically compute bounds for all FIFOs in the program.

- Participants: Adrien Guatto, Albert Cohen, Louis Mandel and Marc Pouzet
- Contact: Albert Cohen
- URL: <https://www.lri.fr/~mandel/lucy-n/>

5.8. Ott

FUNCTIONAL DESCRIPTION: Ott is a tool for writing definitions of programming languages and calculi. It takes as input a definition of a language syntax and semantics, in a concise and readable ASCII notation that is close to what one would write in informal mathematics. It generates output:

a LaTeX source file that defines commands to build a typeset version of the definition,

a Coq version of the definition,

an Isabelle version of the definition, and

a HOL version of the definition.

Additionally, it can be run as a filter, taking a LaTeX/Coq/Isabelle/HOL source file with embedded (symbolic) terms of the defined language, parsing them and replacing them by typeset terms.

The main goal of the Ott tool is to support work on large programming language definitions, where the scale makes it hard to keep a definition internally consistent, and to keep a tight correspondence between a definition and implementations. We also wish to ease rapid prototyping work with smaller calculi, and to make it easier to exchange definitions and definition fragments between groups. The theorem-prover backends should enable a smooth transition between use of informal and formal mathematics.

- Participants: Francesco Zappa Nardelli, Peter Sewell and Scott Owens
- Contact: Francesco Zappa Nardelli
- URL: <http://www.cl.cam.ac.uk/~pes20/ott/>

5.9. PPCG

FUNCTIONAL DESCRIPTION: PPCG is our source-to-source research tool for automatic parallelization in the polyhedral model. It serves as a test bed for many compilation algorithms and heuristics published by our group, and is currently the best automatic parallelizer for CUDA and OpenCL (on the Polybench suite).

- Participants: Albert Cohen, Riyadh Baghdadi, Sven Verdoolaege and Tobias Grosser
- Contact: Sven Verdoolaege
- URL: <http://freshmeat.net/projects/ppcg>

5.10. ReactiveML

FUNCTIONAL DESCRIPTION: ReactiveML is a programming language dedicated to the implementation of interactive systems as found in graphical user interfaces, video games or simulation problems. ReactiveML is based on the synchronous reactive model due to Boussinot, embedded in an ML language (OCaml).

The Synchronous reactive model provides synchronous parallel composition and dynamic features like the dynamic creation of processes. In ReactiveML, the reactive model is integrated at the language level (not as a library) which leads to a safer and a more natural programming paradigm.

- Participants: Cédric Pasteur, Guillaume Baudart and Louis Mandel
- Contact: Guillaume Baudart

5.11. SundialsML

Sundials/ML

KEYWORDS: Simulation - Mathematics - Numerical simulations

SCIENTIFIC DESCRIPTION: Sundials/ML is a comprehensive OCaml interface to the Sundials suite of numerical solvers (CVODE, CVODES, IDA, IDAS, KINSOL). Its structure mostly follows that of the Sundials library, both for ease of reading the existing documentation and for adapting existing source code, but several changes have been made for programming convenience and to increase safety, namely:

solver sessions are mostly configured via algebraic data types rather than multiple function calls, errors are signalled by exceptions not return codes (also from user-supplied callback routines), user data is shared between callback routines via closures (partial applications of functions), vectors are checked for compatibility (using a combination of static and dynamic checks), and explicit free commands are not necessary since OCaml is a garbage-collected language.

FUNCTIONAL DESCRIPTION: Sundials/ML is a comprehensive OCaml interface to the Sundials suite of numerical solvers (CVODE, CVODES, IDA, IDAS, KINSOL, ARKODE).

RELEASE FUNCTIONAL DESCRIPTION: Adds support for v3.1.x of the Sundials Suite of numerical solvers.

Notably this release adds support for the new generic matrix and linear solver interfaces. The OCaml interface changes but the library is backward compatible with Sundials 2.7.0.

OCaml 4.02.3 or greater is now required and optionally OCamlMPI 1.03.

* New Sundials.Matrix and Sundials.LinearSolver modules. * Better treatment of integer type used for matrix indexing. * Refactor DIs and SIs modules into Sundials.Matrix. * Add confidence intervals to performance graph. * Miscellaneous improvements to configure script. * Potential incompatibility: changes to some label names: comm_fn -> comm, iter_type -> iter. * Untangle the ARKODE mass-solver interface from the Jacobian interface.

- Participants: Jun Inoue, Marc Pouzet and Timothy Bourke
- Partner: UPMC
- Contact: Marc Pouzet
- URL: <http://inria-parkas.github.io/sundialsml/>

5.12. Zelus

SCIENTIFIC DESCRIPTION: The Zélus implementation has two main parts: a compiler that transforms Zélus programs into OCaml programs and a runtime library that orchestrates compiled programs and numeric solvers. The runtime can use the Sundials numeric solver, or custom implementations of well-known algorithms for numerically approximating continuous dynamics.

FUNCTIONAL DESCRIPTION: Zélus is a new programming language for hybrid system modeling. It is based on a synchronous language but extends it with Ordinary Differential Equations (ODEs) to model continuous-time behaviors. It allows for combining arbitrarily data-flow equations, hierarchical automata and ODEs. The language keeps all the fundamental features of synchronous languages: the compiler statically ensure the absence of deadlocks and critical races, it is able to generate statically scheduled code running in bounded time and space and a type-system is used to distinguish discrete and logical-time signals from continuous-time ones. The ability to combines those features with ODEs made the language usable both for programming discrete controllers and their physical environment.

- Participants: Marc Pouzet and Timothy Bourke
- Contact: Marc Pouzet

5.13. Telamon

KEYWORDS: Compilation - Monte-Carlo methods - Constraint Programming - GPU - Dense linear algebra

FUNCTIONAL DESCRIPTION: Telamon is a framework for the optimization of computational kernels for GPUs through efficient search in a well-behaved optimization space in which optimization decisions commute and satisfaction of constraints restricting legal optimizations.

- Contact: Ulysse Beaugnon
- URL: <https://github.com/ulyssesB/telamon/>

5.14. Vélus

Verified Lustre Compiler

KEYWORDS: Synchronous Language - Compilation - Software Verification - Coq - Ocaml

FUNCTIONAL DESCRIPTION: Vélus is a prototype compiler from a subset of Lustre to assembly code. It is written in a mix of Coq and OCaml and incorporates the CompCert verified C compiler. The compiler includes formal specifications of the semantics and type systems of Lustre, as well as the semantics of intermediate languages, and a proof of correctness that relates the high-level dataflow model to the values produced by iterating the generated assembly code.

RELEASE FUNCTIONAL DESCRIPTION: First source-code release. Treatment of primitive reset construct. Clocks allowed for node arguments.

- Contact: Timothy Bourke
- URL: <https://velus.inria.fr>

5.15. Tensor Comprehensions

KEYWORDS: Machine learning - Matrix calculation - Polyhedral compilation - GPU - CUDA

FUNCTIONAL DESCRIPTION: Tensor Comprehensions (TC) is a notation based on generalized Einstein notation for computing on multi-dimensional arrays. TC greatly simplifies ML framework implementations by providing a concise and powerful syntax which can be efficiently translated to high-performance computation kernels, automatically.

RELEASE FUNCTIONAL DESCRIPTION: Integration of the loop tactics matching framework for identifying linear algebra operations and optimizing them.

- Partner: Eindhoven University of Technology
- Contact: Albert Cohen

5.16. Aftermath

KEYWORDS: Performance analysis - Runtime system - Parallel programming - High-performance calculation - Execution trace

FUNCTIONAL DESCRIPTION: Aftermath is a toolkit for building custom graphical tools for trace-based performance analysis of parallel programs, run-time systems and compilers.

- Partner: The University of Manchester
- Contact: Andi Drebes

5.17. MPPcodegen

Source-to-source loop tiling based on MPP

KEYWORDS: Source-to-source compiler - Polyhedral compilation

FUNCTIONAL DESCRIPTION: MPPcodegen applies a monoparametric tiling to a C program enriched with pragmas specifying the tiling and the scheduling function. The tiling can be generated by any convex polyhedron and translation functions, it is not necessarily a partition. The result is a C program depending on a scaling factor (the parameter). MPPcodegen relies on the MPP mathematical library to tile the iteration sets.

- Partner: Colorado State University
- Contact: Christophe Alias
- URL: <http://foobar.ens-lyon.fr/mppcodegen/>

5.18. MPP

MonoParametric Partitionning transformation

KEYWORDS: Compilation - Polyhedral compilation

FUNCTIONAL DESCRIPTION: This library applies a monoparametric partitioning transformation to polyhedra and affine functions. This transformation is a subset of the parametric sized tiling transformation, specialized for the case where shapes depend only on a single parameter. Unlike in the general case, the resulting sets and functions remain in the polyhedral model.

- Contact: Guillaume Iooss
- URL: <https://github.com/guillaumeiooss/MPP>

5.19. Obelisk

KEYWORDS: LaTeX - HTML - Ocaml

FUNCTIONAL DESCRIPTION: Obelisk is a simple tool which produces pretty-printed output from a Menhir parser file (.mly).

It is inspired from yacc2latex and it is also written in OCaml, but it is aimed at supporting features from Menhir instead of only those of ocaml yacc.

- Contact: Lelio Brun
- URL: <https://github.com/Lelio-Brun/Obelisk>

PI.R2 Project-Team

5. New Software and Platforms

5.1. Coq

The Coq Proof Assistant

KEYWORDS: Proof - Certification - Formalisation

SCIENTIFIC DESCRIPTION: Coq is an interactive proof assistant based on the Calculus of (Co-)Inductive Constructions, extended with universe polymorphism. This type theory features inductive and co-inductive families, an impredicative sort and a hierarchy of predicative universes, making it a very expressive logic. The calculus allows to formalize both general mathematics and computer programs, ranging from theories of finite structures to abstract algebra and categories to programming language metatheory and compiler verification. Coq is organised as a (relatively small) kernel including efficient conversion tests on which are built a set of higher-level layers: a powerful proof engine and unification algorithm, various tactics/decision procedures, a transactional document model and, at the very top an IDE.

FUNCTIONAL DESCRIPTION: Coq provides both a dependently-typed functional programming language and a logical formalism, which, altogether, support the formalisation of mathematical theories and the specification and certification of properties of programs. Coq also provides a large and extensible set of automatic or semi-automatic proof methods. Coq's programs are extractible to OCaml, Haskell, Scheme, ...

RELEASE FUNCTIONAL DESCRIPTION: Coq version 8.10 contains two major new features: support for a native fixed-precision integer type and a new sort SProp of strict propositions. It is also the result of refinements and stabilization of previous features, deprecations or removals of deprecated features, cleanups of the internals of the system and API, and many documentation improvements. This release includes many user-visible changes, including deprecations that are documented in the next subsection, and new features that are documented in the reference manual.

Version 8.10 is the fifth release of Coq developed on a time-based development cycle. Its development spanned 6 months from the release of Coq 8.9. Vincent Laporte is the release manager and maintainer of this release. This release is the result of 2500 commits and 650 PRs merged, closing 150+ issues.

See the Zenodo citation for more information on this release: <https://zenodo.org/record/3476303#.Xe54f5NKjOQ>

NEWS OF THE YEAR: Coq 8.10.0 contains:

- some quality-of-life bug fixes, - a critical bug fix related to template polymorphism, - native 63-bit machine integers, - a new sort of definitionally proof-irrelevant propositions: SProp, - private universes for opaque polymorphic constants, - string notations and numeral notations, - a new simplex-based proof engine for the tactics lia, nia, lra and nra, - new introduction patterns for SSReflect, - a tactic to rewrite under binders: under, - easy input of non-ASCII symbols in CoqIDE, which now uses GTK3.

All details can be found in the user manual.

- Participants: Yves Bertot, Frédéric Besson, Maxime Denes, Emilio Jesús Gallego Arias, Gaëtan Gilbert, Jason Gross, Hugo Herbelin, Assia Mahboubi, Érik Martin-Dorel, Guillaume Melquiond, Pierre-Marie Pédro, Michael Soegtrop, Matthieu Sozeau, Enrico Tassi, Laurent Théry, Théo Zimmermann, Theo Winterhalter, Vincent Laporte, Arthur Charguéraud, Cyril Cohen, Christian Doczkal and Chantal Keller
- Partners: CNRS - Université Paris-Sud - ENS Lyon - Université Paris-Diderot
- Contact: Matthieu Sozeau
- URL: <http://coq.inria.fr/>

5.2. Equations

KEYWORDS: Coq - Dependent Pattern-Matching - Proof assistant - Functional programming

SCIENTIFIC DESCRIPTION: Equations is a tool designed to help with the definition of programs in the setting of dependent type theory, as implemented in the Coq proof assistant. Equations provides a syntax for defining programs by dependent pattern-matching and well-founded recursion and compiles them down to the core type theory of Coq, using the primitive eliminators for inductive types, accessibility and equality. In addition to the definitions of programs, it also automatically derives useful reasoning principles in the form of propositional equations describing the functions, and an elimination principle for calls to this function. It realizes this using a purely definitional translation of high-level definitions to core terms, without changing the core calculus in any way, or using axioms.

FUNCTIONAL DESCRIPTION: Equations is a function definition plugin for Coq (supporting Coq 8.8 to 8.10, with special support for the Coq-HoTT library), that allows the definition of functions by dependent pattern-matching and well-founded, mutual or nested structural recursion and compiles them into core terms. It automatically derives the clauses equations, the graph of the function and its associated elimination principle.

Equations is based on a simplification engine for the dependent equalities appearing in dependent eliminations that is also usable as a separate tactic, providing an axiom-free variant of dependent destruction. The main features of Equations include:

Dependent pattern-matching in the style of Agda/Epigram, with inaccessible patterns, with and where clauses. The use of the K axiom or a proof of K is configurable, and it is able to solve unification problems without resorting to the K rule if not necessary.

Support for well-founded and mutual recursion using measure/well-foundedness annotations, even on indexed inductive types, using an automatic derivation of the subterm relation for inductive families.

Support for mutual and nested structural recursion using with and where auxiliary definitions, allowing to factor multiple uses of the same nested fixpoint definition. It proves the expected elimination principles for mutual and nested definitions.

Automatic generation of the defining equations as rewrite rules for every definition.

Automatic generation of the unfolding lemma for well-founded definitions (requiring only functional extensionality).

Automatic derivation of the graph of the function and its elimination principle. In case the automation fails to prove these principles, the user is asked to provide a proof.

A new dependent elimination tactic based on the same splitting tree compilation scheme that can advantageously replace dependent destruction and sometimes inversion as well. The as clause of dependent elimination allows to specify exactly the patterns and naming of new variables needed for an elimination.

A set of Derive commands for automatic derivation of constructions from an inductive type: its signature, no-confusion property, well-founded subterm relation and decidable equality proof, if applicable.

RELEASE FUNCTIONAL DESCRIPTION: This version of Equations is based on an improved simplification engine for the dependent equalities appearing during dependent eliminations that is also usable as a separate dependent elimination tactic, providing an axiom-free variant of dependent destruction and a more powerful form of inversion. See <http://mattam82.github.io/Coq-Equations/equations/2019/01/28/1.2beta.html> and the following release notes for more information.

NEWS OF THE YEAR: Equations 1.2 was first released in may this year, after 3 years of development. It provides a refined simplification engine based on the work published at ICFP'19 (see the "Equations Reloaded" paper for details). The system has been improved to also work in the setting of Homotopy Type Theory and provides a more expressive source language and robust dependent elimination tactics.

- Participants: Matthieu Sozeau and Cyprien Mangin
- Contact: Matthieu Sozeau

- Publications: [Equations reloaded - Equations for Hereditary Substitution in Leivant's Predicative System F: A Case Study](#) - [Equations: A Dependent Pattern-Matching Compiler](#)
- URL: <http://mattam82.github.io/Coq-Equations/>

5.3. Rewr

Rewriting methods in algebra

KEYWORDS: Computer algebra system (CAS) - Rewriting systems - Algebra

FUNCTIONAL DESCRIPTION: Rewr is a prototype of computer algebra system, using rewriting methods to compute resolutions and homotopical invariants of monoids. The library implements various classical constructions of rewriting theory (such as completion), improved by experimental features coming from Garside theory, and allows homotopical algebra computations based on Squier theory. Specific functionalities have been developed for usual classes of monoids, such as Artin monoids and plactic monoids.

NEWS OF THE YEAR: Rewr has been extended with the experimental KGB completion algorithm, based on Knuth-Bendix completion procedure improved by techniques coming from Garside theory.

- Participants: Yves Guiraud and Samuel Mimram
- Contact: Yves Guiraud
- Publications: [Higher-dimensional categories with finite derivation type - Higher-dimensional normalisation strategies for acyclicity](#) - [Coherent presentations of Artin monoids - A Homotopical Completion Procedure with Applications to Coherence of Monoids](#) - [Polygraphs of finite derivation type - Quadratic normalisation in monoids](#)
- URL: <http://www.lix.polytechnique.fr/Labo/Samuel.Mimram/rewr>

5.4. Catex

KEYWORDS: LaTeX - String diagram - Algebra

FUNCTIONAL DESCRIPTION: Catex is a Latex package and an external tool to typeset string diagrams easily from their algebraic expression. Catex works similarly to Bibtex.

NEWS OF THE YEAR: It is now possible to add labels to objects and morphisms

- Participant: Yves Guiraud
- Contact: Yves Guiraud
- URL: <https://www.irif.fr/~guiraud/catex/catex.zip>

5.5. Cox

KEYWORDS: Computer algebra system (CAS) - Rewriting systems - Algebra

FUNCTIONAL DESCRIPTION: Cox is a Python library for the computation of coherent presentations of Artin monoids, with experimental features to compute the lower dimensions of the Salvetti complex.

- Participant: Yves Guiraud
- Contact: Yves Guiraud
- Publications: [Coherent presentations of Artin monoids - A Homotopical Completion Procedure with Applications to Coherence of Monoids](#)
- URL: <https://www.irif.fr/~guiraud/cox/cox.zip>

5.6. jsCoq

KEYWORDS: Coq - Program verification - Interactive - Formal concept analysis - Proof assistant - Ocaml - Education - JavaScript

FUNCTIONAL DESCRIPTION: jsCoq is an Online Integrated Development Environment for the Coq proof assistant and runs in your browser! It aims to enable new UI/interaction possibilities and to improve the accessibility of the Coq platform itself.

RELEASE FUNCTIONAL DESCRIPTION: - Coq 8.10 support - Much improved interaction and general experience - Open / Save dialogs - AST and full serialization of Coq's datatypes - NPM packaging - Timeout support

- Participant: Emilio Jesus Gallego Arias
- Partners: Mines ParisTech - Technion, Israel Institute of Technology
- Contact: Emilio Jesus Gallego Arias
- Publication: [jsCoq: Towards Hybrid Theorem Proving Interfaces](#)
- URL: <https://github.com/ejgallego/jscoq>

5.7. coq-serapi

KEYWORDS: Interaction - Coq - Ocaml - Data centric - User Interfaces - GUI (Graphical User Interface) - Toolkit

FUNCTIONAL DESCRIPTION: SerAPI is a library for machine-to-machine interaction with the Coq proof assistant, with particular emphasis on applications in IDEs, code analysis tools, and machine learning. SerAPI provides automatic serialization of Coq's internal OCaml datatypes from/to JSON or S-expressions (sexps).

RELEASE FUNCTIONAL DESCRIPTION: - Support Coq 8.10 - Serialization of extensive AST - Serialization of kernel structures - Support for kernel traces [dumping and replay] - Tokenization of Coq documents - Serialization to JSON - Improved protocol and printing - Bug fixes

- Participant: Karl Palmkog
- Partner: KTH Royal Institute of Technology
- Contact: Emilio Jesus Gallego Arias
- Publication: [SerAPI: Machine-Friendly, Data-Centric Serialization for COQ : Technical Report](#)
- URL: <https://github.com/ejgallego/coq-serapi>

POLSYS Project-Team

5. New Software and Platforms

5.1. Epsilon

FUNCTIONAL DESCRIPTION: Epsilon is a library of functions implemented in Maple and Java for polynomial elimination and decomposition with (geometric) applications.

- Contact: Dongming Wang
- URL: <http://wang.cc4cm.org/epsilon/index.html>

5.2. FGb

KEYWORDS: Gröbner bases - Nonlinear system - Computer algebra

FUNCTIONAL DESCRIPTION: FGb is a powerful software for computing Gröbner bases. It includes the new generation of algorithms for computing Gröbner bases polynomial systems (mainly the F4, F5 and FGLM algorithms). It is implemented in C/C++ (approximately 250000 lines), standalone servers are available on demand. Since 2006, FGb is dynamically linked with Maple software (version 11 and higher) and is part of the official distribution of this software.

- Participant: Jean Charles Faugère
- Contact: Jean-Charles Faugère
- URL: <http://www-polsys.lip6.fr/~jcf/FGb/index.html>

5.3. FGb Light

FUNCTIONAL DESCRIPTION: Gröbner basis computation modulo p (p is a prime integer of 16 bits).

- Participant: Jean-Charles Faugère
- Contact: Jean-Charles Faugère
- URL: <http://www-polsys.lip6.fr/~jcf/FGb/index.html>

5.4. GBLA

FUNCTIONAL DESCRIPTION: GBLA is an open source C library for linear algebra specialized for eliminating matrices generated during Gröbner basis computations in algorithms like F4 or F5.

- Contact: Jean-Charles Faugère
- URL: <http://www-polsys.lip6.fr/~jcf/GBLA/index.html>

5.5. HFEBoost

FUNCTIONAL DESCRIPTION: Public-key cryptography system enabling an authentication of dematerialized data.

- Authors: Jean-Charles Faugère and Ludovic Perret
- Partner: UPMC
- Contact: Jean-Charles Faugère
- URL: <http://www-polsys.lip6.fr/Links/hfeboost.html>

5.6. RAGlib

Real Algebraic Geometry library

FUNCTIONAL DESCRIPTION: RAGLib is a powerful library, written in Maple, dedicated to solving over the reals polynomial systems. It is based on the FGb library for computing Grobner bases. It provides functionalities for deciding the emptiness and/or computing sample points to real solution sets of polynomial systems of equations and inequalities. This library provides implementations of the state-of-the-art algorithms with the currently best known asymptotic complexity for those problems.

- Contact: Mohab Safey El Din
- URL: <http://www-polsys.lip6.fr/~safey/RAGLib/>

5.7. RealCertify

KEYWORDS: Polynomial or analytical systems - Univariate polynomial - Real solving

FUNCTIONAL DESCRIPTION: The package RealCertify aims at providing a full suite of hybrid algorithms for computing certificates of non-negativity based on numerical software for solving linear matrix inequalities. The module univsos handles the univariate case and the module multivsos is designed for the multivariate case.

- Contact: Mohab Safey El Din
- URL: <https://gricad-gitlab.univ-grenoble-alpes.fr/magronv/RealCertify>

5.8. SLV

KEYWORDS: Univariate polynomial - Real solving

FUNCTIONAL DESCRIPTION: SLV is a software package in C that provides routines for isolating (and subsequently refine) the real roots of univariate polynomials with integer or rational coefficients based on subdivision algorithms and on the continued fraction expansion of real numbers. Special attention is given so that the package can handle polynomials that have degree several thousands and size of coefficients hundreds of Megabytes. Currently the code consists of approx. 5000 lines.

- Contact: Elias Tsigaridas
- URL: <https://who.paris.inria.fr/Elias.Tsigaridas/soft.html>

5.9. SPECTRA

Semidefinite Programming solved Exactly with Computational Tools of Real Algebra

KEYWORD: Linear Matrix Inequalities

FUNCTIONAL DESCRIPTION: SPECTRA is a Maple library devoted to solving exactly Semi-Definite Programs. It can handle rank constraints on the solution. It is based on the FGb library for computing Gröbner bases and provides either certified numerical approximations of the solutions or exact representations thereof.

- Contact: Mohab Safey El Din
- URL: <http://homepages.laas.fr/henrion/software/spectra/>

PROSECCO Project-Team

6. New Software and Platforms

6.1. Cryptosense Analyzer

SCIENTIFIC DESCRIPTION: Cryptosense Analyzer (formerly known as Tookan) is a security analysis tool for cryptographic devices such as smartcards, security tokens and Hardware Security Modules that support the most widely-used industry standard interface, RSA PKCS#11. Each device implements PKCS#11 in a slightly different way since the standard is quite open, but finding a subset of the standard that results in a secure device, i.e. one where cryptographic keys cannot be revealed in clear, is actually rather tricky. Cryptosense Analyzer analyses a device by first reverse engineering the exact implementation of PKCS#11 in use, then building a logical model of this implementation for a model checker, calling a model checker to search for attacks, and in the case where an attack is found, executing it directly on the device. It has been used to find at least a dozen previously unknown flaws in commercially available devices.

FUNCTIONAL DESCRIPTION: Cryptosense Analyzer (formerly known as Tookan) is a security analysis tool for cryptographic devices such as smartcards,

- Participants: Graham Steel and Romain Bardou
- Contact: Graham Steel
- URL: <https://cryptosense.com/>

6.2. CryptoVerif

Cryptographic protocol verifier in the computational model

KEYWORDS: Security - Verification - Cryptographic protocol

FUNCTIONAL DESCRIPTION: CryptoVerif is an automatic protocol prover sound in the computational model. In this model, messages are bitstrings and the adversary is a polynomial-time probabilistic Turing machine. CryptoVerif can prove secrecy and correspondences, which include in particular authentication. It provides a generic mechanism for specifying the security assumptions on cryptographic primitives, which can handle in particular symmetric encryption, message authentication codes, public-key encryption, signatures, hash functions, and Diffie-Hellman key agreements. It also provides an explicit formula that gives the probability of breaking the protocol as a function of the probability of breaking each primitives, this is the exact security framework.

NEWS OF THE YEAR: We implemented the following features in CryptoVerif:

- 1) We added to the library of cryptographic primitives several variants of the PRF-ODH (pseudo-random function oracle Diffie-Hellman) assumption, pre-image resistant and second-preimage resistant hash functions, IND-CPA encryption with a nonce, IND-CPA and INT-CTXT encryption with a nonce, encryption schemes that satisfy IND \mathcal{S} -CPA instead of IND-CPA.
- 2) To facilitate modular proofs, we allow querying indistinguishability properties with exactly the same syntax as the one used to specify indistinguishability assumptions on primitives.
- 3) To simplify declarations of assumptions on primitives, replications (which model any number of copies of processes or oracles) can be omitted at the root of indistinguishability assumptions. CryptoVerif adds them internally, thus inferring the assumption for N independent copies from the assumption for one copy. For instance, it infers the assumption for encryption with N keys from the assumption for encryption with a single key.

4) When we delay random number generations, we allow the user to specify expressions for which it is not necessary to generate the random value, so that the generation of the moved random value can be delayed further. In particular, we used this extension to prove that the OAEP scheme is IND-CCA2 assuming the underlying permutation is partial-domain one-way (a famous cryptographic result).

5) CryptoVerif can now remove parts of the code cannot be executed in case the adversary wins the game, by replacing them with event "AdversaryLoses". That is specially helpful in order to deal with complex cases of key compromise, e.g. for forward secrecy, by proving authentication by ignoring the compromise, showing that authentication is preserved in case the key is compromised (because the adversary never wins against the considered authentication property in case of compromise), and using the authentication to prove secrecy even in case of compromise. For instance, that allows us to show that the PSK-DHE handshake of TLS 1.3 preserves forward secrecy in case of compromise of the PSK.

6) After a cryptographic transformation, CryptoVerif expands terms into processes, which leads to duplicating code until the end of the protocol for each test that is expanded. The cryptographic transformation and the expansion were initially considered as a single transformation. There are now considered as separate transformations, so that other transformations can be performed in between, in particular to cut some branches of the code and reduce the code duplication.

These changes are included in CryptoVerif version 2.02 available at <https://cryptoverif.inria.fr>.

- Participants: Bruno Blanchet and David Cadé
- Contact: Bruno Blanchet
- Publications: [Composition Theorems for CryptoVerif and Application to TLS 1.3](#) - [Composition Theorems for CryptoVerif and Application to TLS 1.3 - A Mechanised Cryptographic Proof of the WireGuard Virtual Private Network Protocol](#) - [A Mechanised Cryptographic Proof of the WireGuard Virtual Private Network Protocol](#) - [Proved Implementations of Cryptographic Protocols in the Computational Model](#) - [Proved Generation of Implementations from Computationally Secure Protocol Specifications](#) - [Verified Models and Reference Implementations for the TLS 1.3 Standard Candidate](#) - [Verified Models and Reference Implementations for the TLS 1.3 Standard Candidate](#) - [Symbolic and Computational Mechanized Verification of the ARINC823 Avionic Protocols](#) - [Automated Verification for Secure Messaging Protocols and Their Implementations: A Symbolic and Computational Approach](#)
- URL: <http://cryptoverif.inria.fr/>

6.3. F*

FStar

KEYWORDS: Programming language - Software Verification

FUNCTIONAL DESCRIPTION: F* is a new higher order, effectful programming language (like ML) designed with program verification in mind. Its type system is based on a core that resembles System Fw (hence the name), but is extended with dependent types, refined monadic effects, refinement types, and higher kinds. Together, these features allow expressing precise and compact specifications for programs, including functional correctness properties. The F* type-checker aims to prove that programs meet their specifications using an automated theorem prover (usually Z3) behind the scenes to discharge proof obligations. Programs written in F* can be translated to OCaml, F#, or JavaScript for execution.

- Participants: Antoine Delignat-Lavaud, Catalin Hritcu, Cedric Fournet, Chantal Keller, Karthikeyan Bhargavan and Pierre-Yves Strub
- Contact: Catalin Hritcu
- URL: <https://www.fstar-lang.org/>

6.4. miTLS

KEYWORDS: Cryptographic protocol - Software Verification

FUNCTIONAL DESCRIPTION: miTLS is a verified reference implementation of the TLS protocol. Our code fully supports its wire formats, ciphersuites, sessions and connections, re-handshakes and resumptions, alerts and errors, and data fragmentation, as prescribed in the RFCs, it interoperates with mainstream web browsers and servers. At the same time, our code is carefully structured to enable its modular, automated verification, from its main API down to computational assumptions on its cryptographic algorithms.

- Participants: Alfredo Pironti, Antoine Delignat-Lavaud, Cedric Fournet, Jean-Karim Zinzindohoué, Karthikeyan Bhargavan, Pierre-Yves Strub and Santiago Zanella
- Contact: Karthikeyan Bhargavan
- URL: <https://github.com/mitls/mitls-fstar>

6.5. ProVerif

KEYWORDS: Security - Verification - Cryptographic protocol

FUNCTIONAL DESCRIPTION: ProVerif is an automatic security protocol verifier in the symbolic model (so called Dolev-Yao model). In this model, cryptographic primitives are considered as black boxes. This protocol verifier is based on an abstract representation of the protocol by Horn clauses. Its main features are:

It can verify various security properties (secrecy, authentication, process equivalences).

It can handle many different cryptographic primitives, specified as rewrite rules or as equations.

It can handle an unbounded number of sessions of the protocol (even in parallel) and an unbounded message space.

NEWS OF THE YEAR: Vincent Cheval and Bruno Blanchet worked on several extensions of ProVerif: 1) support for integer counters, with incrementation and inequality tests, 2) lemmas and axioms to give intermediate results to ProVerif, which it exploits to help proving subsequent queries, by deriving additional information in the Horn clauses that it uses to perform the proofs, 3) proofs by induction on the length of the trace, by giving as lemma the property to prove, but obviously for strictly shorter traces. Detailed soundness proofs for these extensions are in progress. These features are not released yet.

- Participants: Bruno Blanchet, Marc Sylvestre and Vincent Cheval
- Contact: Bruno Blanchet
- Publications: [Automated reasoning for equivalences in the applied pi calculus with barriers](#) - [Automated Reasoning for Equivalences in the Applied Pi Calculus with Barriers](#) - [Automated reasoning for equivalences in the applied pi calculus with barriers](#) - [Modeling and Verifying Security Protocols with the Applied Pi Calculus and ProVerif](#) - [Automatic Verification of Security Protocols in the Symbolic Model: The Verifier ProVerif](#) - [Verified Models and Reference Implementations for the TLS 1.3 Standard Candidate](#) - [Verified Models and Reference Implementations for the TLS 1.3 Standard Candidate](#) - [Automated Verification for Secure Messaging Protocols and Their Implementations: A Symbolic and Computational Approach](#) - [Symbolic and Computational Mechanized Verification of the ARINC823 Avionic Protocols](#) - [Symbolic and Computational Mechanized Verification of the ARINC823 Avionic Protocols](#)
- URL: <http://proverif.inria.fr/>

6.6. HACL*

High Assurance Cryptography Library

KEYWORDS: Cryptography - Software Verification

FUNCTIONAL DESCRIPTION: HACL* is a formally verified cryptographic library in F*, developed by the Prosecco team at Inria Paris in collaboration with Microsoft Research, as part of Project Everest.

HACL stands for High-Assurance Cryptographic Library and its design is inspired by discussions at the HACS series of workshops. The goal of this library is to develop verified C reference implementations for popular cryptographic primitives and to verify them for memory safety, functional correctness, and secret independence.

- Contact: Karthikeyan Bhargavan
- URL: <https://github.com/mitls/hacl-star>

SECRET Project-Team

6. New Software and Platforms

6.1. CFS

FUNCTIONAL DESCRIPTION: Reference implementation of parallel CFS (reinforced version of the digital signature scheme CFS). Two variants are proposed, one with a « bit-packing » finite field arithmetic and an evolution with a « bit-slicing » finite-field arithmetic (collaboration with Peter Schwabe). For 80 bits of security the running time for producing one signature with the « bit-packing » variant is slightly above one second. This is high but was still the fastest so far. The evolution with the « bit-slicing » arithmetic produces the same signature in about 100 milliseconds.

- Participants: Grégory Landais and Nicolas Sendrier
- Contact: Nicolas Sendrier
- URL: <https://gforge.inria.fr/projects/cfs-signature/>

6.2. Collision Decoding

KEYWORDS: Algorithm - Binary linear code

FUNCTIONAL DESCRIPTION: Collision Decoding implements two variants of information set decoding : Stern-Dumer, and MMT. To our knowledge it is the best full-fledged open-source implementation of generic decoding of binary linear codes. It is the best generic attack against code-based cryptography.

- Participants: Grégory Landais and Nicolas Sendrier
- Contact: Nicolas Sendrier
- URL: <https://gforge.inria.fr/projects/collision-dec/>

6.3. ISDF

FUNCTIONAL DESCRIPTION: Implementation of the Stern-Dumer decoding algorithm, and of a variant of the algorithm due to May, Meurer and Thomae.

- Participants: Grégory Landais and Nicolas Sendrier
- Contact: Anne Canteaut
- URL: <https://gforge.inria.fr/projects/collision-dec/>

CAGE Project-Team

5. New Software and Platforms

5.1. BOCOP

Boîte à Outils pour le Contrôle OPTimal

KEYWORDS: Dynamic Optimization - Identification - Biology - Numerical optimization - Energy management - Transportation

FUNCTIONAL DESCRIPTION: Bocop is an open-source toolbox for solving optimal control problems, with collaborations with industrial and academic partners. Optimal control (optimization of dynamical systems governed by differential equations) has numerous applications in transportation, energy, process optimization, energy and biology. Bocop includes a module for parameter identification and a graphical interface, and runs under Linux / Windows / Mac.

RELEASE FUNCTIONAL DESCRIPTION: Handling of delay systems Alternate automatic differentiation tool: CppAD Update for CMake and MinGW (windows version)

- Participants: Benjamin Heymann, Virgile Andréani, Jinyan Liu, Joseph Frédéric Bonnans and Pierre Martinon
- Contact: Pierre Martinon
- URL: <http://bocop.org>

5.2. Bocop HJB

KEYWORDS: Optimal control - Stochastic optimization - Global optimization

FUNCTIONAL DESCRIPTION: Toolbox for stochastic or deterministic optimal control, dynamic programming / HJB approach.

RELEASE FUNCTIONAL DESCRIPTION: User interface State jumps for switched systems Explicit handling of final conditions Computation of state probability density (fiste step to mean field games)

- Participants: Benjamin Heymann, Jinyan Liu, Joseph Frédéric Bonnans and Pierre Martinon
- Contact: Joseph Frédéric Bonnans
- URL: <http://bocop.org>

MATERIALS Project-Team

5. New Software and Platforms

5.1. DFTK

KEYWORDS: Molecular simulation - Quantum chemistry - Materials

FUNCTIONAL DESCRIPTION: DFTK, short for the density-functional toolkit, is a Julia library implementing plane-wave density functional theory for the simulation of the electronic structure of molecules and materials. It aims at providing a simple platform for experimentation and algorithm development for scientists of different backgrounds.

- Contact: Antoine Levitt
- URL: <http://dftk.org>

5.2. gen.parRep

KEYWORDS: Molecular simulation - MPI - HPC - C++

SCIENTIFIC DESCRIPTION: Metastability is one of the major encountered obstacle when performing long molecular dynamics simulations, and many methods were developed to address this challenge. The "Parallel Replica" (ParRep) dynamics is known for allowing to simulate very long trajectories of metastable Langevin dynamics in the materials science community, but it relies on assumptions that can hardly be transposed to the world of biochemical simulations. The later developed "Generalized ParRep" variant solves those issues, but it was not applied to significant systems of interest so far.

In a recent article, we presented the program gen.parRep, the first publicly available implementation of the Generalized Parallel Replica method (BSD 3-Clause license), targeting frequently encountered metastable biochemical systems, such as conformational equilibria or dissociation of protein-ligand complexes. It was shown that the resulting C++ implementation exhibits a strong linear scalability, providing up to 70 % of the maximum possible speedup on several hundreds of CPUs.

FUNCTIONAL DESCRIPTION: gen.parRep is the first publicly available implementation of the Generalized Parallel Replica method (BSD 3-Clause license), targeting frequently encountered metastable biochemical systems, such as conformational equilibria or dissociation of protein-ligand complexes.

It was shown (<https://hal.archives-ouvertes.fr/hal-01832823>) that the resulting C++/MPI implementation exhibits a strong linear scalability, providing up to 70 % of the maximum possible speedup on several hundreds of CPUs.

RELEASE FUNCTIONAL DESCRIPTION: The software was modified in order to allow reproducibility in some cases (the limiting factor is OpenMM which does not always provides deterministic output even when using the same seeds (!), see <http://docs.openmm.org/latest/userguide/library.html#determinism>).

The main executable now has 2 more command line options, '-inp-seeds [fname]' or '-out-seeds [fname]' for respectively loading seeds or writing seeds from/to a unique binary file. See `rand.hpp/rand.cpp`, or the Doxygen doc for more details.

These modifications now allow Continuous Integration (CI) on the infrastructure provided by Inria : in mol/ci a small test case will be executed at each commit to the repository and compared to reference results.

The two other minor modifications concern the Lua scripts:

"get_minimised_energy_crdvels" was added to the set of functions that the user can call from the Lua script : it simply combines in one call what "get_minimised_energy" and "get_minimised_crdvels" already provided.

a extra optional parameter is available for the "simulation" parameters block when "simulation.algorithm" is "PARREP_FV" , this parameter is "simulation.minAccumulatedObs" : it will enforce that at least minAccumulatedObs observations of an observable have already been accumulated before the convergence test is performed , this may be useful if there is a risk of early pseudo-convergence for some of the observables when only a few samples have been accumulated.

Download sources:

<https://gitlab.inria.fr/parallel-replica/gen.parRep/tags/v1.2.0>

or

<https://github.com/FHedin/gen.parRep/releases/tag/v1.2.0>

NEWS OF THE YEAR: Corresponding publication : <https://hal.archives-ouvertes.fr/hal-01832823>

- Participants: Florent Hedin and Tony Lelièvre
- Partner: Ecole des Ponts ParisTech
- Contact: Florent Hedin
- Publication: [gen.parRep: a first implementation of the Generalized Parallel Replica dynamics for the long time simulation of metastable biochemical systems](#)
- URL: <https://gitlab.inria.fr/parallel-replica/gen.parRep>

MATHRISK Project-Team

6. New Software and Platforms

6.1. PREMIA

KEYWORDS: Financial products - Computational finance - Option pricing

SCIENTIFIC DESCRIPTION: The Premia project keeps track of the most recent advances in the field of computational finance in a well-documented way. It focuses on the implementation of numerical analysis techniques for both probabilistic and deterministic numerical methods. An important feature of the platform Premia is the detailed documentation which provides extended references in option pricing.

Premia is thus a powerful tool to assist Research and Development professional teams in their day-to-day duty. It is also a useful support for academics who wish to perform tests on new algorithms or pricing methods without starting from scratch.

Besides being a single entry point for accessible overviews and basic implementations of various numerical methods, the aim of the Premia project is: 1 - to be a powerful testing platform for comparing different numerical methods between each other, 2 - to build a link between professional financial teams and academic researchers, 3 - to provide a useful teaching support for Master and PhD students in mathematical finance.

FUNCTIONAL DESCRIPTION: Premia is a software designed for option pricing, hedging and financial model calibration.

- Participants: Agnes Sulem, Antonino Zanette, Aurélien Alfonsi, Benjamin Jourdain, Jérôme Lelong and Bernard Lapeyre
- Partners: Inria - Ecole des Ponts ParisTech - Université Paris-Est
- Contact: Agnes Sulem
- URL: <http://www.premia.fr>

6.2. Premia

6.2.1. Development of the quantitative platform Premia in 2019

Premia 21 has been delivered to the Premia Consortium on March 21th 2019.

In this version, the following algorithms have been implemented:

6.2.1.1. Machine Learning, Risk Management, Risk model, Insurance

- Machine Learning for Quantitative Finance: Fast Derivative Pricing, Hedging and Fitting. J. De Spiegeleer, D. B. Madan, S. Reyners, W. Schoutens
Quantitative Finance 2018
- Gaussian Process Regression for Pricing Variable Annuities with Stochastic Volatility and Interest Rate. L.Goudenege A.Molent A.Zanette 2019
- Machine Learning for Pricing American Options in High Dimension. L.Goudenege A.Molent A.Zanette 2019
- Neural networks for American options. L.Goudenege
- Sampling of probability measures in the convex order and approximation of Martingale Optimal Transport problems. A. Alfonsi, J. Corbetta, B. Jourdain
- Computing Credit Valuation Adjustment solving coupled PIDEs in the Bates model. L. Goudenege, A. Molent, A. Zanette
Computational Management Science, to appear 2019

- Valuation of variable annuities with Guaranteed Minimum Withdrawal Benefit under stochastic interest rate. P.V.Shevchenko, X.Luo
Insurance: Mathematics and Economics, Volume 76, 2017

6.2.1.2. Equity Derivatives

- An adjoint method for the exact calibration of Stochastic Local Volatility models. M.Wins, K.J.in 't Hout.
Journal of Computational Science, Volume 24, 2018
- Discretization of class of diffusions nonlinear in the sense of McKean including the calibrated LSV model. B. Jourdain, A. Zhou
- On an efficient multiple time-step Monte Carlo simulation of the SABR model. A. Leita, L.A. Grzelak, C.W. Oosterlee
Applied Mathematics and Computation, Vol. 293, 2017
- Robust Barrier Option Pricing by Frame Projection under Exponential Levy Dynamics. J.L. Kirkby
Applied Mathematical Finance, Volume 24, Issue 4, 2017
- Ultra-Fast Pricing Barrier Options and CDSs. S.Levendorskii
International Journal of Theoretical and Applied Finance, 20(5), 2017
- Efficient Binomial tree for the discretization of the CEV model. L.Caramellino, E.Lombardo.
- Pricing path-dependent Bermudan options using Wiener chaos expansion: an embarrassingly parallel approach. J.Lelong

We benefited from the help of the engineer Pierre-Guillaume Raverdy.

MOKAPLAN Project-Team

4. New Software and Platforms

4.1. ALG2

FUNCTIONAL DESCRIPTION: ALG2 for Monge Mean-Field Games, Monge problem and Variational problems under divergence constraint. A generalisation of the ALG2 algorithm has been implemented in FreeFem++.

- Contact: Jean-David Benamou
- URL: <https://team.inria.fr/mokaplan/augmented-lagrangian-simulations/>

4.2. Mokabajour

FUNCTIONAL DESCRIPTION: We design a software resolving the following inverse problem: define the shape of a mirror which reflects the light from a source to a defined target, distribution and support of densities being prescribed. Classical applications include the conception of solar oven, public lightning, car headlights. . . Mathematical modeling of this problem, related to the optimal transport theory, takes the form of a nonlinear Monge-Ampere type PDE. The numerical resolution of these models remained until recently a largely open problem. MOKABAJOURE project aims to develop, using algorithms invented especially at Inria and LJK, a reflector design software more efficient than geometrical methods used so far. The final step is to realize and physically test prototype reflectors.

- Participants: Boris Thibert, Jean-David Benamou and Quentin Mérigot
- Contact: Jean-David Benamou
- URL: <https://project.inria.fr/mokabajour/>

QUANTIC Project-Team (section vide)

SIERRA Project-Team

6. New Software and Platforms

6.1. ProxASAGA

KEYWORD: Optimization

FUNCTIONAL DESCRIPTION: A C++/Python code implementing the methods in the paper "Breaking the Nonsmooth Barrier: A Scalable Parallel Method for Composite Optimization", F. Pedregosa, R. Leblond and S. Lacoste-Julien, Advances in Neural Information Processing Systems (NIPS) 2017. Due to their simplicity and excellent performance, parallel asynchronous variants of stochastic gradient descent have become popular methods to solve a wide range of large-scale optimization problems on multi-core architectures. Yet, despite their practical success, support for nonsmooth objectives is still lacking, making them unsuitable for many problems of interest in machine learning, such as the Lasso, group Lasso or empirical risk minimization with convex constraints. In this work, we propose and analyze ProxASAGA, a fully asynchronous sparse method inspired by SAGA, a variance reduced incremental gradient algorithm. The proposed method is easy to implement and significantly outperforms the state of the art on several nonsmooth, large-scale problems. We prove that our method achieves a theoretical linear speedup with respect to the sequential version under assumptions on the sparsity of gradients and block-separability of the proximal term. Empirical benchmarks on a multi-core architecture illustrate practical speedups of up to 12x on a 20-core machine.

- Contact: Fabian Pedregosa
- URL: <https://github.com/fabianp/ProxASAGA>

6.2. object-states-action

KEYWORD: Computer vision

FUNCTIONAL DESCRIPTION: Code for the paper Joint Discovery of Object States and Manipulation Actions, ICCV 2017: Many human activities involve object manipulations aiming to modify the object state. Examples of common state changes include full/empty bottle, open/closed door, and attached/detached car wheel. In this work, we seek to automatically discover the states of objects and the associated manipulation actions. Given a set of videos for a particular task, we propose a joint model that learns to identify object states and to localize state-modifying actions. Our model is formulated as a discriminative clustering cost with constraints. We assume a consistent temporal order for the changes in object states and manipulation actions, and introduce new optimization techniques to learn model parameters without additional supervision. We demonstrate successful discovery of seven manipulation actions and corresponding object states on a new dataset of videos depicting real-life object manipulations. We show that our joint formulation results in an improvement of object state discovery by action recognition and vice versa.

- Participants: Jean-Baptiste Alayrac, Josef Sivic, Ivan Laptev and Simon Lacoste-Julien
- Contact: Jean-Baptiste Alayrac
- Publication: [Joint Discovery of Object States and Manipulation Actions](#)
- URL: <https://github.com/jalayrac/object-states-action>

ANGE Project-Team

6. New Software and Platforms

6.1. Freshkiss

FREe Surface Hydrodynamics using KInetic SchemeS

KEYWORDS: Finite volume methods - Hydrostatic Navier-Stokes equations - Free surface flows

FUNCTIONAL DESCRIPTION: Freshkiss3D is a numerical code solving the 3D hydrostatic and incompressible Navier-Stokes equations with variable density.

- Participants: Fabien Souillé, Emmanuel Audusse, Jacques Sainte Marie and Marie-Odile Bristeau
- Partners: UPMC - CEREMA
- Contact: Jacques Sainte Marie

6.2. TSUNAMATHS

KEYWORDS: Modeling - Tsunamis

FUNCTIONAL DESCRIPTION: Tsunamaths is an educational platform aiming at simulating historical tsunamis. Real data and mathematical explanations are provided to enable people to better understand the overall process of tsunamis.

- Participants: Emmanuel Audusse, Jacques Sainte Marie and Raouf Hamouda
- Contact: Jacques Sainte Marie
- URL: <http://tsunamath.paris.inria.fr/>

6.3. Verdandi

KEYWORDS: HPC - Model - Software Components - Partial differential equation

FUNCTIONAL DESCRIPTION: Verdandi is a free and open-source (LGPL) library for data assimilation. It includes various such methods for coupling one or several numerical models and observational data. Mainly targeted at large systems arising from the discretization of partial differential equations, the library is devised as generic, which allows for applications in a wide range of problems (biology and medicine, environment, image processing, etc.). Verdandi also includes tools to ease the application of data assimilation, in particular in the management of observations or for a priori uncertainty quantification. Implemented in C++, the library may be used with models implemented in Fortran, C, C++ or Python.

- Participants: Dominique Chapelle, Gautier Bureau, Nicolas Claude, Philippe Moireau and Vivien Mallet
- Contact: Vivien Mallet
- URL: <http://verdandi.gforge.inria.fr/>

6.4. Polyphemus

KEYWORD: Simulation

FUNCTIONAL DESCRIPTION: Polyphemus is a modeling system for air quality. As such, it is designed to yield up-to-date simulations in a reliable framework: data assimilation, ensemble forecast and daily forecasts. Its completeness makes it suitable for use in many applications: photochemistry, aerosols, radionuclides, etc. It is able to handle simulations from local to continental scales, with several physical models. It is divided into three main parts:

libraries that gather data processing tools (SeldonData), physical parameterizations (AtmoData) and post-processing abilities (AtmoPy),

programs for physical pre-processing and chemistry-transport models (Polair3D, Castor, two Gaussian models, a Lagrangian model),

model drivers and observation modules for model coupling, ensemble forecasting and data assimilation.

- Participants: Sylvain Doré and Vivien Mallet
- Contact: Vivien Mallet
- URL: <http://cerea.enpc.fr/polyphemus/>

6.5. Urban noise analysis

KEYWORD: Environment perception

FUNCTIONAL DESCRIPTION: This software processes mobile observations collected by the application Ambiciti (previously known as SoundCity). It can merge simulated noise maps with the mobile observations.

- Authors: Raphaël Ventura, Vivien Mallet and Guillaume Chérel
- Contact: Vivien Mallet

6.6. Freshkiss3D

KEYWORDS: Python - Cython - Navier-Stokes

FUNCTIONAL DESCRIPTION: Tool for the numerical solution of free surface Navier-Stokes equations

- Participants: Cédric Doucet, Apolline El Baz and Jacques Sainte Marie
- Partner: UPMC
- Contact: Jacques Sainte Marie
- Publication: [Numerical approximation of the 3d hydrostatic Navier-Stokes system with free surface](#)

ARAMIS Project-Team

6. New Software and Platforms

6.1. Brain Networks Toolbox

KEYWORDS: Neuroimaging - Medical imaging

FUNCTIONAL DESCRIPTION: Brain Networks Toolbox is an open-source package of documented routines implementing new graph algorithms for brain network analysis. It mainly contains Matlab code of new methods developed by the team and associated to publications (e.g., brain network thresholding, extraction of the information redundancy, node accessibility, etc). It requires, as input, adjacency matrices representing brain connectivity networks. Thus, it is independent on the specific approach used to construct brain networks and it can be used to extract network properties from any neuroimaging modality in healthy and diseased subjects.

- Participants: Fabrizio de Vico Fallani, Jeremy Guillon and Mario Chavez
- Contact: Fabrizio de Vico Fallani
- URL: <https://github.com/brain-network/bnt>

6.2. Deformetrica

KEYWORDS: 3D modeling - C++ - Automatic Learning - Mesh - Anatomy - Image analysis

SCIENTIFIC DESCRIPTION: Deformetrica is a software for the statistical analysis of 2D and 3D shape data. It essentially computes deformations of the 2D or 3D ambient space, which, in turn, warp any object embedded in this space, whether this object is a curve, a surface, a structured or unstructured set of points, or any combination of them.

Deformetrica comes with two applications:

- Registration, which computes the best possible deformation between two sets of objects,
- Atlas construction, which computes an average object configuration from a collection of object sets, and the deformations from this average to each sample in the collection.

Deformetrica has very little requirements about the data it can deal with. In particular, it does not require point correspondence between objects!

- Participants: Alexandre Routier, Ana Fouquier, Barbara Gris, Benjamin Charlier, Cédric Doucet, Joan Alexis Glaunès, Marcel Prastawa, Michael Bacci, Pietro Gori and Stanley Durrleman
- Partners: University of Utah - Université de Montpellier 2 - Université Paris-Descartes
- Contact: Stanley Durrleman
- URL: <http://www.deformetrica.org/>

6.3. Clinica

KEYWORDS: Neuroimaging - Brain MRI - MRI - Clinical analysis - Image analysis - Machine learning

SCIENTIFIC DESCRIPTION: Clinica is a software platform for multimodal brain image analysis in clinical research studies. It makes it easy to apply advanced analysis tools to large scale clinical studies. For that purpose, it integrates a comprehensive set of processing tools for the main neuroimaging modalities: currently MRI (anatomical, functional, diffusion) and PET, in the future, EEG/MEG. For each modality, Clinica allows to easily extract various types of features (regional measures, parametric maps, surfaces, curves, networks). Such features are then subsequently used as input of machine learning, statistical modeling, morphometry or network analysis methods. Processing pipelines are based on combinations of freely available tools developed by the community. It provides an integrated data management specification to store raw and processing data. Clinica is written in Python. It uses the Nipype system for pipelining. It combines widely-used software for neuroimaging data analysis (SPM, Freesurfer, FSL, MRtrix...), morphometry (Deformetrica), machine learning (Scikit-learn) and the BIDS standard for data organization.

FUNCTIONAL DESCRIPTION: Clinica is a software platform for multimodal brain image analysis in clinical research studies. It makes it easy to apply advanced analysis tools to large scale clinical studies. For that purpose, it integrates a comprehensive set of processing tools for the main neuroimaging modalities: currently MRI (anatomical, functional, diffusion) and PET, in the future, EEG/MEG. For each modality, Clinica allows to easily extract various types of features (regional measures, parametric maps, surfaces, curves, networks). Such features are then subsequently used as input of machine learning, statistical modeling, morphometry or network analysis methods. Clinica also provides an integrated data management specification to store raw and processing data. Overall, Clinica helps to: i) apply advanced analysis tools to clinical research studies, ii) easily share data and results, iii) make research more reproducible.

NEWS OF THE YEAR: - Three clinical studies made with Clinica Clinica : Bertrand et al, JAMA Neurology, 2018 , Jacquemont et al, Neurobiol Aging, 2017, Wen et al, JNNP, 2018 - Clinica presented at OHBM 2018 conference - Clinica was the support for the tutorial "Pattern Recognition for Neuroimaging" at OHBM 2018

- Participants: Jeremy Guillon, Thomas Jacquemont, Pascal Lu, Arnaud Marcoux, Tristan Moreau, Alexandre Routier, Jorge Samper Gonzalez, Junhao Wen, Olivier Colliot, Stanley Durrleman, Michael Bacci, Simona Bottani, Ninon Burgos, Sabrina Fontanella, Pietro Gori, Mauricio Diaz and Elina Thibeau-Sutre
- Partners: Institut du Cerveau et de la Moelle épinière (ICM) - CNRS - INSERM - UPMC
- Contact: Olivier Colliot
- Publications: [Amyloidosis and neurodegeneration result in distinct structural connectivity patterns in mild cognitive impairment](#) - [Yet Another ADNI Machine Learning Paper? Paving The Way Towards Fully-reproducible Research on Classification of Alzheimer's Disease](#) - [Reproducible evaluation of classification methods in Alzheimer's disease: Framework and application to MRI and PET data](#) - [Neurite density is reduced in the presymptomatic phase of C9orf72 disease](#) - [Early cognitive, structural and microstructural changes in c9orf72 presymptomatic carriers before 40 years of age](#)
- URL: <http://www.clinica.run>

6.4. Platforms

6.4.1. Platform Brain-computer interface

Our team coordinates the developments of the Brain-Computer Interface (BCI) platform at the Centre EEG/MEG of the neuroimaging core facility of the ICM. Several projects, including our NETBCI NSF/NIH/ANR and ATTACK Big-brain theory funded projects, as well as experiments by different researchers of the Institute, are currently being run. To reinforce the impact of the platform we have recently recruited an engineer (J. Gonzalez-Astudillo) and a master student (Tristan Venot) for the software and technical development.

COMMEDIA Project-Team

6. New Software and Platforms

6.1. FELiScE

Finite Elements for Life Sciences and Engineering problems

KEYWORDS: Finite element modelling - Cardiac Electrophysiology - Cardiovascular and respiratory systems

FUNCTIONAL DESCRIPTION: FELiScE is a finite element code which the M3DISIM and REO project-teams have decided to jointly develop in order to build up on their respective experiences concerning finite element simulations. One specific objective of this code is to provide in a unified software environment all the state-of-the-art tools needed to perform simulations of the complex respiratory and cardiovascular models considered in the two teams – namely involving fluid and solid mechanics, electrophysiology, and the various associated coupling phenomena. FELiScE is written in C++, and may be later released as an open-source library. FELiScE was registered in July 2014 at the Agence pour la Protection des Programmes under the Inter Deposit Digital Number IDDN.FR.001.350015.000.S.P.2014.000.10000.

- Participants: Matteo Aletti, Daniele Carlo Corti, Dominique Chapelle, Miguel Ángel Fernández, Benoit Fabreges, Axel Fourmont, Jean-Frédéric Gerbeau, Fannie Gerosa, Sébastien Gilles, Mikel Landajuela Larma, Damiano Lombardi, Philippe Moireau, Irène Vignon-Clementel and Marina Vidrascu
- Contact: Miguel Ángel Fernández
- URL: <http://felisce.gforge.inria.fr>

6.2. FELiScE-NS

KEYWORDS: Incompressible flows - Thin-walled solids

FUNCTIONAL DESCRIPTION: FELiScE-NS is a set finite elements solvers for incompressible fluids (fractional-step schemes) and non-linear thin-walled structures (3D shells, and 2D curved beams) developed in the framework of the FELiScE library. FELiScE-NS was registered in 2018 at the Agence pour la Protection des Programmes Inter Deposit Digital Number IDDN.FR.001.270015.000.S.A.2018.000.31200.

- Participants: Benoit Fabreges, Miguel Ángel Fernández, Axel Fourmont, Jean-Frédéric Gerbeau and Marina Vidrascu
- Contact: Miguel Ángel Fernández

6.3. DCIMaL

KEYWORD: Cardiac Electrophysiology

FUNCTIONAL DESCRIPTION: DCIMaL is a Python and C++ software for safety pharmacology studies and particularly field potentials signals measured with micro-electrode array (MEA). The software includes a solver for field potential simulations and a dictionary of entries corresponding to features which can be extracted from real or simulated potential signals. It also includes an algorithm for drug classification (channel blockade or torsadogenic risk) and a tool for estimating ion channel activity (based on the CMAES library). DCIMaL was registered in 2018 at the Agence pour la Protection des Programmes Inter Deposit Digital Number IDDN.FR.001.270003.000.S.P.2018.000.31230

- Participants: Fabien Raphel, Jean-Frédéric Gerbeau and Damiano Lombardi
- Contact: Damiano Lombardi

MAMBA Project-Team

6. New Software and Platforms

6.1. TiQuant

Tissue Quantifier

KEYWORDS: Systems Biology - Bioinformatics - Biology - Physiology

FUNCTIONAL DESCRIPTION: Systems biology and medicine on histological scales require quantification of images from histological image modalities such as confocal laser scanning or bright field microscopy. The latter can be used to calibrate the initial state of a mathematical model, and to evaluate its explanatory value, which hitherto has been little recognized. We generated a software for image analysis of histological material and demonstrated its use in analysing liver confocal micrografts, called TiQuant (Tissue Quantifier). The software is part of an analysis chain detailing protocols of imaging, image processing and analysis in liver tissue, permitting 3D reconstructions of liver lobules down to a resolution of less than a micrometer.

- Author: Dirk Drasdo
- Contact: Dirk Drasdo

6.2. TiSim

Tissue Simulator

KEYWORDS: Systems Biology - Bioinformatics - Biology - Physiology

SCIENTIFIC DESCRIPTION: TiSim (Tissue Simulator) is a versatile and efficient simulation environment for tissue models. TiSim is a software for agent-based models of multicellular systems. It permits model development with center-based models and deformable cell models, it contains modules for monolayer and multicellular spheroid simulations as well as for simulations of liver lobules. Besides agent-based simulations, the flow of blood and the transport of molecules can be modelled in the extracellular space, intracellular processes such as signal transduction and metabolism can be simulated, for example over an interface permitting integration of SBML-formulated ODE models. TiSim is written in modern C++ , keeping central model constituents in modules to be able to reuse them as building blocks for new models. For user interaction, the GUI Framework Qt is used in combination with OpenGL for visualisation. The simulation code is in the process of being published. The modeling strategy and approaches slowly reach systems medicine and toxicology. The diffusion of software is a fundamental component as it provides the models that are complex and difficult to implement (implementing a liver lobule model from scratch takes about 2-2.5yrs) in form of a software to the developer and users who like to build upon them. This increases significantly the speed of implementing new models. Moreover, standardization is indispensable as it permits coupling different software tools that may have implemented models at different scales / levels.

FUNCTIONAL DESCRIPTION: TiSim is a software that permits agent-based simulations of multicellular systems. - center-based lattice-free agent-based model - modular - C++, Qt, OpenGL, GUI, batch mode - permits multiscale simulations by integration of molecular pathways (for signaling, metabolisms, drug) into each individual cell - applications so far: monolayer growth, multicellular spheroids - Boolean networks (development time = coding time (60 MMs) + model development time (264 MMs)) - in follow-up version 1: - liver lobule regeneration - SBML interface - in follow-up version 2: - deformable cell model (by triangulation of cell surface) - deformable rod models - extracellular matrix - vascular flow and transport TiSim can be directly fed by processed image data from TiQuant.

- Participants: Andreas Buttenschoen, Dirk Drasdo, Eugenio Lella, Géraldine Cellière, Johannes Neitsch, Margaretha Palm, Nick Jagiella, Noémie Boissier, Paul van Liedekerke, Stefan Hoehme and Tim Johann
- Partner: IZBI, Université de Leipzig
- Contact: Dirk Drasdo

6.3. Platforms

6.3.1. *TiSim*

The deformable cell model [123], [52] has been integrated in addition to the center-based model in the software *TiSim* (Tissue Simulator), a follow-up of former *CellSys* [113]. Center-based models of cells represent forces between cells as forces between cell centers but lacks an explicit representation of cell shape. The deformable cell model represents cell shape explicitly. Applications are monolayers, multicellular spheroids and simulations of liver regeneration, whereby intracellular pathways can be integrated. The model shall be distributed as binary and will permit to use the deformable cell model to calibrate intercellular forces at high cell densities, where the two-body force models so far applied in center-based models fail.

6.3.2. *TiQuant*

This image processing and analysis software ([103]) now integrates a machine learning component. This is fundamental as it is more general and permits quicker adaptation to new images.

REO Team (section vide)

SERENA Project-Team

6. New Software and Platforms

6.1. CELIA3D

KEYWORDS: Fluid mechanics - Multi-physics simulation

FUNCTIONAL DESCRIPTION: The CELIA3D code simulates the coupling between a compressible fluid flow and a deformable structure. The fluid is handled by a Finite Volume method on a structured Cartesian grid. The solid is handled by a Discrete Element method (Mka3d scheme). The solid overlaps the fluid grid and the coupling is carried out with immersed boundaries (cut cells) in a conservative way.

- Partners: Ecole des Ponts ParisTech - CEA
- Contact: Laurent Monasse
- URL: <http://cermics.enpc.fr/~monassel/CELIA3D/>

6.2. DiSk++

Discontinuous Skeletal C++ Library

KEYWORDS: High order methods - Polyhedral meshes - C++

SCIENTIFIC DESCRIPTION: Discontinuous Skeletal methods approximate the solution of boundary-value problems by attaching discrete unknowns to mesh faces (hence the term skeletal) while allowing these discrete unknowns to be chosen independently on each mesh face (hence the term discontinuous). Cell-based unknowns, which can be eliminated locally by a Schur complement technique (also known as static condensation), are also used in the formulation. Salient examples of high-order Discontinuous Skeletal methods are Hybridizable Discontinuous Galerkin methods and the recently-devised Hybrid High-Order methods. Some major benefits of Discontinuous Skeletal methods are that their construction is dimension-independent and that they offer the possibility to use general meshes with polytopal cells and non-matching interfaces. The mathematical flexibility of Discontinuous Skeletal methods can be efficiently replicated in a numerical software: by using generic programming, the DiSk++ library offers an environment to allow a programmer to code mathematical problems in a way completely decoupled from the mesh dimension and the cell shape.

FUNCTIONAL DESCRIPTION: The software provides a numerical core to discretize partial differential equations arising from the engineering sciences (mechanical, thermal, diffusion). The discretization is based on the "Hybrid high-order" or "Discontinuous Skeletal" methods, which use as principal unknowns polynomials of arbitrary degree on each face of the mesh. An important feature of these methods is that they make it possible to treat general meshes composed of polyhedral cells. The DiSk ++ library, using generic programming techniques, makes it possible to write a code for a mathematical problem independently of the mesh. When a user writes the code for his problem using the basic operations offered by DiSk ++, that code can be executed without modifications on all types of mesh already supported by the library and those that will be added in the future.

- Author: Matteo Cicuttin
- Partner: CERMICS
- Contact: Matteo Cicuttin
- Publication: [Implementation of Discontinuous Skeletal methods on arbitrary-dimensional, polytopal meshes using generic programming](#)
- URL: <https://github.com/wareHHouse/diskpp>

6.3. NEF-Draw

Numerical Experiments involving Fractures -Visualisation

KEYWORD: Fracture network

SCIENTIFIC DESCRIPTION: This version includes Matlab vectorization of the operations which makes it possible to load flow solution on meshes with more than one million fractures. It includes a text menu allowing the user to choose between different visualisation options (geometry, mesh together with the aspect ratio or together with the flow solution). A selective visualisation of fractures is also possible, by loading only the fractures that carry most of the flow.

FUNCTIONAL DESCRIPTION: This software is a visualization tool of discrete fractured networks. It allows the visualization of the network geometry, the mesh of the network together with several quantities of interest (mesh quality, flow solution including wells) computed with the software NEF-Flow.

NEWS OF THE YEAR: Add vizualization of new quantities (a posteriori estimators, velocity fields,...). New features for user-friendly usage of NEF-Draw.

- Participant: Géraldine Pichot
- Contact: Géraldine Pichot
- URL: <https://gitlab.inria.fr/gpichot/NEF>

6.4. NEF-Flow

KEYWORDS: Hydrogeology - Numerical simulations - 3D

SCIENTIFIC DESCRIPTION: NEF-Flow is a Matlab software for the simulation of steady state single phase flow in Discrete Fracture Networks (DFNs) using the Mixed Hybrid Finite Element (MHFEM) method for conforming and non conforming discretizations. It includes: wells, sink/source terms boundary conditions, implementation of RT0 and P1 non conforming finite elements, data structures to save the information local to each fracture, a set of non regression tests to check the solution on the Inria continuous integration platform, wells and sink/sources boundary conditions in the function that check the solution.

FUNCTIONAL DESCRIPTION: The software NEF-Flow solves the problem of an incompressible fluid flowing through a network of fractures. The software is interfaced with different mesh generators, among which BLSURF from the GAMMA3 team. A mixed hybrid finite element method is implemented.

NEWS OF THE YEAR: The last version includes new features (new APP v1.1): a full documentation of the code, new 2D test cases with analytical solutions to study the convergence of the non-conforming (Mortar) method, new organization of the non regression tests and automatic run on the Inria continuous integration platform, a refactoring of the solver parts, new developments of an iterative solver to solve flow in fractures networks (research work with Pr. Ludmil Zikatanov, PennState University), the computation of the velocity fields with P1 non conforming FE.

- Participants: Géraldine Pichot, Jean-Raynald De Dreuzy and Jocelyne Erhel
- Contact: Géraldine Pichot
- Publication: [A mixed hybrid Mortar method for solving flow in discrete fracture networks](#)
- URL: <https://gitlab.inria.fr/gpichot/NEF>

6.5. NEF++

KEYWORDS: Fracture network - Finite element modelling - High order methods

SCIENTIFIC DESCRIPTION: NEF++ is able to solve in a very efficient way flow in large scale fractures networks using the HHO method.

FUNCTIONAL DESCRIPTION: The software NEF++ allows to solve flow problems in fractured rocks. It is based on a hybrid high order (HHO) method. It is based on the C++17 standard. It relies on the Eigen library, which is a C++ template library for linear algebra and on the DiSk++ library for HHO <https://bil.inria.fr/fr/software/view/3143/tab>. The linear systems can be solved with direct solvers or with iterative solvers like the preconditioned conjugate gradient or multigrid solvers.

RELEASE FUNCTIONAL DESCRIPTION: Work in progress, no production release yet.

NEWS OF THE YEAR: NEF++ has been successfully tested on networks that contain up to 500,000 fractures. The following two direct solvers can be called: Pardiso from Intel MKL library or SuiteSparse. Both solvers support tasks parallelism, either using OpenMP or Intel TBB and support SIMD (Single Instruction, Multiple Data) vectorization. The input parameters are JSON files. The mesh data are in .vector files (see Appendix A, publication hal-00735675). The outputs are written in HDF5 files.

- Participants: Florent Hedin, Géraldine Pichot, Alexandre Ern and Nicolas Pignet
- Contact: Géraldine Pichot
- Publication: [A hybrid high-order method for flow simulations in discrete fracture networks.](#)
- URL: <https://gitlab.inria.fr/nef/NEFpp>

6.6. NEF-Flow-a-posteriori

KEYWORD: A posteriori error estimates

SCIENTIFIC DESCRIPTION: The a posteriori error estimates that are implemented are the ones described in the publication <https://hal.archives-ouvertes.fr/hal-00019800/document>.

FUNCTIONAL DESCRIPTION: Compute a posteriori estimators for diffusion problems.

NEWS OF THE YEAR: New software: implementation of the estimators, management of input files with Json.

- Participants: Géraldine Pichot and Martin Vohralík
- Contact: Géraldine Pichot
- Publication: [A posteriori error estimates for lowest-order mixed finite element discretizations of convection-diffusion-reaction equations](#)
- URL: <https://gitlab.inria.fr/gpichot/nef-flow-a-posteriori>

6.7. SBM

Skew Brownian Motion

KEYWORDS: Monte-Carlo methods - Skew Brownian Motion

FUNCTIONAL DESCRIPTION: SBM is a code allowing exact or approximated simulations of the Skew Brownian Motion. This code is used for the simulation, with a Monte-Carlo approach, of a 1D diffusion process with a discontinuous diffusion coefficient. Several benchmark tests are also implemented.

NEWS OF THE YEAR: - Refactoring and Cmake compilation - Automatic non regression tests on ci-inria.fr - Full documentation - Open source project on gitlab-inria

- Authors: Antoine Lejay and Géraldine Pichot
- Contact: Antoine Lejay
- Publication: [Simulating diffusion processes in discontinuous media: Benchmark tests](#)
- URL: <https://gitlab.inria.fr/lejay/sbm>

ALPINES Project-Team

6. New Software and Platforms

6.1. FreeFem++

FreeFem++

SCIENTIFIC DESCRIPTION: FreeFem++ is a partial differential equation solver. It has its own language. freefem scripts can solve multiphysics non linear systems in 2D and 3D.

Problems involving PDE (2d, 3d) from several branches of physics such as fluid-structure interactions require interpolations of data on several meshes and their manipulation within one program. FreeFem++ includes a fast 2d-tree-based interpolation algorithm and a language for the manipulation of data on multiple meshes (as a follow up of bamg (now a part of FreeFem++)).

FreeFem++ is written in C++ and the FreeFem++ language is a C++ idiom. It runs on Macs, Windows, Unix machines. FreeFem++ replaces the older freefem and freefem+.

FUNCTIONAL DESCRIPTION: FreeFem++ is a PDE (partial differential equation) solver based on a flexible language that allows a large number of problems to be expressed (elasticity, fluids, etc) with different finite element approximations on different meshes.

- Partner: UPMC
- Contact: Frederic Hecht
- URL: <http://www.freefem.org/ff++/>

6.2. HPDDM

SCIENTIFIC DESCRIPTION: HPDDM is an efficient implementation of various domain decomposition methods (DDM) such as one- and two-level Restricted Additive Schwarz methods, the Finite Element Tearing and Interconnecting (FETI) method, and the Balancing Domain Decomposition (BDD) method. This code has been proven to be efficient for solving various elliptic problems such as scalar diffusion equations, the system of linear elasticity, but also frequency domain problems like the Helmholtz equation. A comparison with modern multigrid methods can be found in the thesis of Pierre Jolivet.

FUNCTIONAL DESCRIPTION: HPDDM is an efficient implementation of various domain decomposition methods (DDM) such as one- and two-level Restricted Additive Schwarz methods, the Finite Element Tearing and Interconnecting (FETI) method, and the Balancing Domain Decomposition (BDD) method.

- Participants: Frédéric Nataf and Pierre Jolivet
- Contact: Pierre Jolivet
- URL: <https://github.com/hpddm>

6.3. LORASC

LORASC preconditioner

KEYWORD: Preconditioner

- Participants: Laura Grigori and Rémi Lacroix
- Contact: Laura Grigori

6.4. Platforms

6.4.1. preAlps

KEYWORD: Preconditioned enlarged Krylov subspace methods

FUNCTIONAL DESCRIPTION: Contains enlarged Conjugate Gradient Krylov subspace method and Loras preconditioner.

- Partners: Inria
- Contact: Simplice Donfack, Laura Grigori, Olivier Tissot
- URL: <https://github.com/NLAFET/preAlps>

6.4.2. *BemTool*

KEYWORD: Boundary Element Method

FUNCTIONAL DESCRIPTION: BemTool is a C++ header-only library implementing the boundary element method for the discretisation of the Laplace, Helmholtz and Maxwell equations, in 2D and 3D. Its main purpose is the assembly of classic boundary element matrices, which can be compressed and inverted through its interface with HTOOL.

- Partners: UPMC - ANR NonlocalDD
- Contact: Xavier Claeys
- URL: <https://github.com/xclaeys/BemTool>

6.4.3. *HTool*

KEYWORD: Hierarchical Matrices

FUNCTIONAL DESCRIPTION: HTOOL is a C++ header-only library implementing compression techniques (e.g. Adaptive Cross Approximation) using hierarchical matrices. The library uses MPI and OpenMP for parallelism, and is interfaced with HPDDM for the solution of linear systems.

- Partners: CNRS - UPMC - ANR NonlocalDD
- Contact: Pierre Marchand
- URL: <https://github.com/PierreMarchand20/htool>

DELYS Project-Team (section vide)

DYOGENE Project-Team

6. New Software and Platforms

6.1. Platforms

6.1.1. *CapRadio*

Cellular network dimensioning toolbox *CapRadio* is being developed by Orange in a long-term collaboration between TREC/DYOGENE represented by B. Błaszczyszyn, and Orange Labs, represented by M. K. Karray. This year we are working on taking into account the “massive MIMO” in 5G cellular networks; see [8.1.1](#) .

EVA Project-Team

6. New Software and Platforms

6.1. OpenWSN

KEYWORDS: Internet of things - 6TiSCH - 6LoWPAN - CoAP

FUNCTIONAL DESCRIPTION: OpenWSN is an open-source implementation of a fully standards-based protocol stack for the Internet of Things. It has become the de-facto implementation of the IEEE802.15.4e TSCH standard, has a vibrant community of academic and industrial users, and is the reference implementation of the work we do in the IETF 6TiSCH standardization working group.

- Partner: University of California Berkeley
- Contact: Thomas Watteyne
- URL: <http://www.openwsn.org/>

6.2. 6TiSCH Simulator

High-level simulator of a 6TiSCH network

KEYWORDS: Network simulator - 6TiSCH

FUNCTIONAL DESCRIPTION: The simulator is written in Python. While it doesn't provide a cycle-accurate emulation, it does implement the functional behavior of a node running the full 6TiSCH protocol stack. This includes RPL, 6LoWPAN, CoAP and 6P. The implementation work tracks the progress of the standardization process at the IETF.

- Contact: Malisa Vucinic

6.3. Argus

KEYWORDS: Cloud - Low-Power Wireless - Sniffer

FUNCTIONAL DESCRIPTION: There are three pieces to the Argus:

The Argus Probe is the program which attaches to your low-power wireless sniffer and forwards its traffic to the Argus Broker.

The Argus Broker sits somewhere in the cloud. Based on MQTT, it connects Argus Probes with Argus Clients based on a pub-sub architecture.

Several Argus Clients can be started at the same time. It is a program which subscribes to the Argus Broker and displays the frames in Wireshark.

- Contact: Remy Leone

6.4. SolSystem

Sensor Object Library System

KEYWORDS: Low-Power Wireless - Back-End System - SmartMesh IP

FUNCTIONAL DESCRIPTION: The source code is composed of the definition of the SOL structure (<https://github.com/realms-team/sol>), the code that runs on the manager (<https://github.com/realms-team/solmanager>, written in Python) and the code that runs on the server receiving the data (<https://github.com/realms-team/solserver>, written in Python)

- Contact: Keoma Brun-Laguna
- URL: <http://www.solssystem.io/>

6.5. 6TiSCH Wireshark Dissector

KEYWORDS: 6TiSCH - Wireshark

FUNCTIONAL DESCRIPTION: Implementation on the dissectors is done through an open-source repository, stable code is regularly contributed back to the main Wireshark code base.

- Contact: Jonathan Muñoz

6.6. F-Interop

Remote Conformance and Interoperability Tests for the Internet of Thing

KEYWORDS: Interoperability - Iot - Conformance testing - Standardization

- Partners: UPMC - IMEC - ETSI - EANTC - Mandat International - Digital Catapult - University of Luxembourg - Device Gateway
- Contact: Remy Leone

6.7. Mercator

KEYWORDS: Deployment - Low-Power Wireless - Testbeds - Connectivity

FUNCTIONAL DESCRIPTION: The firmware is written as part of the OpenWSN project. Scripts and analysis tools are written in Python.

- Contact: Keoma Brun-Laguna

GANG Project-Team

6. New Software and Platforms

6.1. big-graph-tools

KEYWORD: Graph algorithmics

FUNCTIONAL DESCRIPTION: Gang is developing a software for big graph manipulation. A preliminary library offering diameter and skeleton computation. This library was used to compute the diameters of the worldwide road network (200M edges) and the largest strongly connected component of the Twitter follower-follower graph (23G edges).

- Contact: Laurent Viennot
- URL: <https://who.rocq.inria.fr/Laurent.Viennot/dev/big-graph-tools/>

6.2. GRPH

The high performance graph library for Java

KEYWORDS: Graph - Graph algorithmics - Java

FUNCTIONAL DESCRIPTION: Grph is an open-source Java library for the manipulation of graphs. Its design objectives are to make it portable, simple to use/extend, computationally/memory efficient, and, according to its initial motivation: useful in the context of graph experimentation and network simulation. Grph also has the particularity to come with tools like an evolutionary computation engine, a bridge to linear programming solvers, a framework for distributed computing, etc.

Grph offers a very general model of graphs. Unlike other graph libraries which impose the user to first decide if he wants to deal with directed, undirected, hyper (or not) graphs, the model offered by Grph is unified in a general class that supports mixed graphs made of undirected and directed simple and hyper edges. Grph achieves great efficiency through the use of multiple code optimization techniques such as multi-core parallelism, caching, adequate data structures, use of primitive objects, exploitation of low-level processor caches, on-the-fly compilation of specific C/C++ code, etc. Grph attempts to access the Internet in order to check if a new version is available and to report who is using it (login name and hostname). This has no impact whatsoever on performance and security.

- Participants: Aurélien Lancin, David Coudert, Issam Tahiri, Luc Hogie and Nathann Cohen
- Contact: Luc Hogie
- URL: <http://www.i3s.unice.fr/~hogie/grph/>

GANG Project-Team

6. New Software and Platforms

6.1. big-graph-tools

KEYWORD: Graph algorithmics

FUNCTIONAL DESCRIPTION: Gang is developing a software for big graph manipulation. A preliminary library offering diameter and skeleton computation. This library was used to compute the diameters of the worldwide road network (200M edges) and the largest strongly connected component of the Twitter follower-follower graph (23G edges).

- Contact: Laurent Viennot
- URL: <https://who.rocq.inria.fr/Laurent.Viennot/dev/big-graph-tools/>

6.2. GRPH

The high performance graph library for Java

KEYWORDS: Graph - Graph algorithmics - Java

FUNCTIONAL DESCRIPTION: Grph is an open-source Java library for the manipulation of graphs. Its design objectives are to make it portable, simple to use/extend, computationally/memory efficient, and, according to its initial motivation: useful in the context of graph experimentation and network simulation. Grph also has the particularity to come with tools like an evolutionary computation engine, a bridge to linear programming solvers, a framework for distributed computing, etc.

Grph offers a very general model of graphs. Unlike other graph libraries which impose the user to first decide if he wants to deal with directed, undirected, hyper (or not) graphs, the model offered by Grph is unified in a general class that supports mixed graphs made of undirected and directed simple and hyper edges. Grph achieves great efficiency through the use of multiple code optimization techniques such as multi-core parallelism, caching, adequate data structures, use of primitive objects, exploitation of low-level processor caches, on-the-fly compilation of specific C/C++ code, etc. Grph attempts to access the Internet in order to check if a new version is available and to report who is using it (login name and hostname). This has no impact whatsoever on performance and security.

- Participants: Aurélien Lancin, David Coudert, Issam Tahiri, Luc Hogue and Nathann Cohen
- Contact: Luc Hogue
- URL: <http://www.i3s.unice.fr/~hogie/grph/>

MIMOVE Project-Team

6. New Software and Platforms

6.1. SocialBus

Universal Social Network Bus

KEYWORDS: Middleware - Interoperability - Social networks - Software Oriented Service (SOA)

FUNCTIONAL DESCRIPTION: Online social network services (OSNSs) have become an integral part of our daily lives. At the same time, the aggressive market competition has led to the emergence of multiple competing siloed OSNSs that cannot interoperate. As a consequence, people face the burden of creating and managing multiple OSNS accounts and learning how to use them, to stay connected. The goal of the Universal Social Network Bus (USNB) is to relieve users from such a burden, letting them use their favorite applications to communicate.

- Authors: Rafael Angarita Arocha, Nikolaos Georgantas and Valérie Issarny
- Contact: Valérie Issarny
- URL: <https://gitlab.inria.fr/usnb/universal-social-network-bus>

6.2. WeBrowse

KEYWORDS: Web Usage Mining - Content analysis - Recommendation systems

FUNCTIONAL DESCRIPTION: The amount of information available on the web today, and the fast rate with which new information appears, overwhelm most users. The goal of our research is to assist Web users in discovering content. One of the most powerful means today to help people discover new web content is sharing between members of online communities. In the case of communities of a place (e.g., people who live, study, or work together) people share common interests, but often fail to actively share content. To address this problem, we have developed WeBrowse, a passive crowdsourced content discovery system for communities of a place.

WeBrowse leverages the passive observation of web-clicks (i.e., the URLs users intentionally visit) as an indication of users' interest in a piece of content. Intuitively, the more users click on a URL, the higher the interest in the content on the corresponding page. Our approach is then to leverage the collective clicks in a community to automatically discover relevant content to promote to users of the community.

To implement passive crowdsourcing, one must be in a position to observe the aggregated web-clicks of the community. Luckily, in many communities of a place, users will connect to the Internet from the same network, such as, e.g., the campus/enterprise network or the network of a residential Internet Service Provider (ISP) in a neighborhood. WeBrowse (i) observes web packets flowing through a network link, (ii) passively extracts HTTP logs (i.e., streams recording the headers of HTTP requests), and (iii) detects and decides on-the-fly the set of URLs to show to users.

- Contact: Renata Cruz Teixeira
- URL: <https://team.inria.fr/muse/webbrowse-info-page/>

6.3. VSB

eVolution Service Bus

KEYWORDS: Service and Thing choreographies - Middleware protocol interoperability - Enterprise service bus

FUNCTIONAL DESCRIPTION: VSB is a development and runtime environment dedicated to complex distributed applications of the Future Internet. Such applications are open, dynamic choreographies of extremely heterogeneous services and Things, including lightweight embedded systems (e.g., sensors, actuators and networks of them), mobile systems (e.g., smartphone applications), and resource-rich IT systems (e.g., systems hosted on enterprise servers and Cloud infrastructures). VSB's objective is to seamlessly interconnect, inside choreographies, services and Things that employ heterogeneous interaction protocols at the middleware level, e.g., SOAP Web services, REST Web services, Things using CoAP. This is based on runtime conversions between such protocols, with respect to their primitives and data type systems, while properly mapping between their semantics. This also includes mapping between the public interfaces of services/Things, regarding their operations and data, from the viewpoint of the middleware: the latter means that operations and data are converted based on their middleware-level semantics, while their business semantics remains transparent to the conversion. VSB follows the well-known Enterprise Service Bus (ESB) paradigm. We propose a generic interface description, which we call GIDL, for application components that employ VSB. Based on GIDL, we enable automated synthesis of binding components for connecting heterogeneous services and Things onto VSB.

- Participants: Georgios Bouloukakis, Nikolaos Georgantas and Patient Ntumba
- Contact: Nikolaos Georgantas
- URL: <https://gitlab.ow2.org/chorevolution/evolution-service-bus>

6.4. Service traceroute

KEYWORDS: Network monitoring - Network diagnosis

FUNCTIONAL DESCRIPTION: Traceroute is often used to help diagnose when users experience issues with Internet applications or services. Unfortunately, probes issued by classic traceroute tools differ from application traffic and hence can be treated differently by middleboxes within the network. We propose a new traceroute tool, called Service traceroute. Service traceroute leverages the idea from paratrace, which passively listens to application traffic to then issue traceroute probes that pretend to be part of the application flow. We extend this idea to work for modern Internet services with support for identifying the flows to probe automatically, for tracing of multiple concurrent flows, and for UDP flows. We implement command-line and library versions of Service traceroute, which we release as open source.

- Partner: Princeton University
- Contact: Renata Cruz Teixeira
- URL: <https://github.com/wontoniii/service-traceroute>

6.5. Network Microscope

KEYWORDS: Quality of Experience - Network monitoring - Video analysis

FUNCTIONAL DESCRIPTION: A system that accurately infers video streaming quality metrics in real time, such as startup delay or video resolution, by using just a handful of features extracted from passive traffic measurement. Network Microscope passively collects a corpus of network features about the traffic flows of interest in the network and directs those to a real-time analytics framework that can perform more complex inference tasks. Network Microscope enables network operators to determine degradations in application quality as they happen, even when the traffic is encrypted.

- Participants: Francesco Bronzino and Renata Cruz Teixeira
- Contact: Renata Cruz Teixeira
- URL: <https://netmicroscope.com/>

6.6. HostView Mobile

KEYWORDS: Quality of Experience - Network monitoring

FUNCTIONAL DESCRIPTION: HostView for mobile runs on Android devices to monitor user system and network performance together with user feedback on Internet experience.

- Contact: Giulio Grassi

WHISPER Project-Team

6. New Software and Platforms

6.1. Coccinelle

KEYWORDS: Code quality - Evolution - Infrastructure software

FUNCTIONAL DESCRIPTION: Coccinelle is a tool for code search and transformation for C programs. It has been extensively used for bug finding and evolutions in Linux kernel code.

- Participants: Gilles Muller, Julia Lawall, Nicolas Palix, Rene Rydhof Hansen and Thierry Martinez
- Partners: LIP6 - IRILL
- Contact: Julia Lawall
- URL: <http://coccinelle.lip6.fr>

6.2. Prequel

KEYWORDS: Code search - Git

SCIENTIFIC DESCRIPTION: The commit history of a code base such as the Linux kernel is a gold mine of information on how evolutions should be made, how bugs should be fixed, etc. Nevertheless, the high volume of commits available and the rudimentary filtering tools provided mean that it is often necessary to wade through a lot of irrelevant information before finding example commits that can help with a specific software development problem. To address this issue, we propose Prequel (Patch Query Language), which brings the descriptive power of code matching to the problem of querying a commit history.

FUNCTIONAL DESCRIPTION: Prequel is a tool for searching for complex patterns in the commits of software managed using git.

- Participants: Gilles Muller and Julia Lawall
- Partners: LIP6 - IRILL
- Contact: Julia Lawall
- URL: <http://prequel-pql.forge.inria.fr/>

6.3. Usuba

KEYWORDS: Cryptography - Optimizing compiler - Synchronous Language

FUNCTIONAL DESCRIPTION: Usuba is a programming language for specifying block ciphers as well as a bitslicing compiler, for producing high-throughput and secure code.

- Contact: Pierre-Evariste Dagand
- Publication: [Usuba, Optimizing & Trustworthy Bitslicing Compiler](#)
- URL: <https://github.com/DadaIsCrazy/usuba/>

6.4. SchedDisplay

KEYWORDS: Linux kernel - Scheduling - Multicore

FUNCTIONAL DESCRIPTION: SchedDisplay is a visualization tool for SchedLog, a custom ring buffer collecting scheduling events in the Linux kernel. SchedDisplay allows kernel developers to analyze the behavior of the Linux scheduler while running a multicore application.

RELEASE FUNCTIONAL DESCRIPTION: First version released as part of a Demo made during the 10th PLOS workshop: <https://ess.cs.uni-osnabrueck.de/workshops/plos/2019/program.php>

- Partner: Oracle Labs
- Contact: Gilles Muller
- URL: <https://gitlab.inria.fr/gmuller/scheddisplay>

ALMANACH Project-Team

6. New Software and Platforms

6.1. Enqi

- Author: Benoît Sagot
- Contact: Benoît Sagot

6.2. SYNTAX

KEYWORD: Parsing

FUNCTIONAL DESCRIPTION: Syntax system includes various deterministic and non-deterministic CFG parser generators. It includes in particular an efficient implementation of the Earley algorithm, with many original optimizations, that is used in several of Alpage's NLP tools, including the pre-processing chain Sx Pipe and the LFG deep parser SxLfg. This implementation of the Earley algorithm has been recently extended to handle probabilistic CFG (PCFG), by taking into account probabilities both during parsing (beam) and after parsing (n-best computation).

- Participants: Benoît Sagot and Pierre Boullier
- Contact: Pierre Boullier
- URL: <http://syntax.gforge.inria.fr/>

6.3. FRMG

KEYWORDS: Parsing - French

FUNCTIONAL DESCRIPTION: FRMG is a large-coverage linguistic meta-grammar of French. It can be compiled (using MGCOMP) into a Tree Adjoining Grammar, which, in turn, can be compiled (using DyALog) into a parser for French.

- Participant: Eric de La Clergerie
- Contact: Éric De La Clergerie
- URL: <http://mgkit.gforge.inria.fr/>

6.4. MElt

Maximum-Entropy lexicon-aware tagger

KEYWORD: Part-of-speech tagger

FUNCTIONAL DESCRIPTION: MElt is a freely available (LGPL) state-of-the-art sequence labeller that is meant to be trained on both an annotated corpus and an external lexicon. It was developed by Pascal Denis and Benoît Sagot within the Alpage team, a joint Inria and Université Paris-Diderot team in Paris, France. MElt allows for using multiclass Maximum-Entropy Markov models (MEMMs) or multiclass perceptrons (multitrons) as underlying statistical devices. Its output is in the Brown format (one sentence per line, each sentence being a space-separated sequence of annotated words in the word/tag format).

MElt has been trained on various annotated corpora, using Alexina lexicons as source of lexical information. As a result, models for French, English, Spanish and Italian are included in the MElt package.

MElt also includes a normalization wrapper aimed at helping processing noisy text, such as user-generated data retrieved on the web. This wrapper is only available for French and English. It was used for parsing web data for both English and French, respectively during the SANCL shared task (Google Web Bank) and for developing the French Social Media Bank (Facebook, twitter and blog data).

- Contact: Benoît Sagot
- URL: <https://team.inria.fr/almanach/melt/>

6.5. dyalog-sr

KEYWORDS: Parsing - Deep learning - Natural language processing

FUNCTIONAL DESCRIPTION: DyALog-SR is a transition-based dependency parser, built on top of DyALog system. Parsing relies on dynamic programming techniques to handle beams. Supervised learning exploit a perceptron and aggressive early updates. DyALog-SR can handle word lattice and produce dependency graphs (instead of basic trees). It was tested during several shared tasks (SPMRL'2013 and SEMEVAL'2014). It achieves very good accuracy on French TreeBank, alone or by coupling with FRMG parser. In 2017, DyALog-SR has been extended into DyALog-SRNN by adding deep neuronal layers implemented with the Dynet library. The new version has participated to the evaluation campaigns CONLL UD 2017 (on more than 50 languages) and EPE 2017.

- Contact: Éric De La Clergerie

6.6. FSMB

French Social Media Bank

KEYWORDS: Treebank - User-generated content

FUNCTIONAL DESCRIPTION: The French Social Media Bank is a treebank of French sentences coming from various social media sources (Twitter(c), Facebook(c)) and web forums (JeuxVidéos.com(c), Doctissimo.fr(c)). It contains different kind of linguistic annotations: - part-of-speech tags - surface syntactic representations (phrase-based representations) as well as normalized form whenever necessary.

- Contact: Djamel Seddah

6.7. DyALog

KEYWORD: Logic programming

FUNCTIONAL DESCRIPTION: DyALog provides an environment to compile and execute grammars and logic programs. It is essentially based on the notion of tabulation, i.e. of sharing computations by tabulating traces of them. DyALog is mainly used to build parsers for Natural Language Processing (NLP). It may nevertheless be used as a replacement for traditional PROLOG systems in the context of highly ambiguous applications where sub-computations can be shared.

- Participant: Eric de La Clergerie
- Contact: Eric de La Clergerie
- URL: <http://dyalog.gforge.inria.fr/>

6.8. SxPipe

KEYWORD: Surface text processing

SCIENTIFIC DESCRIPTION: Developed for French and for other languages, Sx Pipe includes, among others, various named entities recognition modules in raw text, a sentence segmenter and tokenizer, a spelling corrector and compound words recognizer, and an original context-free patterns recognizer, used by several specialized grammars (numbers, impersonal constructions, quotations...). It can now be augmented with modules developed during the former ANR EDyLex project for analysing unknown words, this involves in particular (i) new tools for the automatic pre-classification of unknown words (acronyms, loan words...) (ii) new morphological analysis tools, most notably automatic tools for constructional morphology (both derivational and compositional), following the results of dedicated corpus-based studies. New local grammars for detecting new types of entities and improvement of existing ones, developed in the context of the PACTE project, will soon be integrated within the standard configuration.

FUNCTIONAL DESCRIPTION: SxPipe is a modular and customizable processing chain dedicated to applying to raw corpora a cascade of surface processing steps (tokenisation, wordform detection, non-deterministic spelling correction. . .). It is used as a preliminary step before ALMANACH's parsers (e.g., FRMG) and for surface processing (named entities recognition, text normalization, unknown word extraction and processing...).

- Participants: Benoît Sagot, Djamé Seddah and Eric de La Clergerie
- Contact: Benoît Sagot
- URL: <http://lingwb.gforge.inria.fr/>

6.9. Mgwiki

KEYWORDS: Parsing - French

FUNCTIONAL DESCRIPTION: Mgwiki is a linguistic wiki that may be used to discuss linguistic phenomena with the possibility to add annotated illustrative sentences. The work is essentially devoted to the construction of an instance for documenting and discussing FRMG, with the annotations of the sentences automatically provided by parsing them with FRMG. This instance also offers the possibility to parse small corpora with FRMG and an interface of visualization of the results. Large parsed corpora (like French Wikipedia or Wikisource) are also available. The parsed corpora can also be queried through the use of the DPath language.

- Participant: Eric de La Clergerie
- Contact: Eric de La Clergerie
- URL: <http://alpage.inria.fr/frmgwiki/>

6.10. WOLF

Wordnet Libre du Français (Free French Wordnet)

KEYWORDS: WordNet - French - Semantic network - Lexical resource

FUNCTIONAL DESCRIPTION: The WOLF (Wordnet Libre du Français, Free French Wordnet) is a free semantic lexical resource (wordnet) for French.

The WOLF has been built from the Princeton WordNet (PWN) and various multilingual resources.

- Contact: Benoît Sagot
- URL: <http://alpage.inria.fr/~sagot/wolf-en.html>

6.11. vera

KEYWORD: Text mining

FUNCTIONAL DESCRIPTION: Automatic analysis of answers to open-ended questions based on NLP and statistical analysis and visualisation techniques (vera is currently restricted to employee surveys).

- Participants: Benoît Sagot and Dimitri Tcherniak
- Partner: Verbatim Analysis
- Contact: Benoît Sagot

6.12. Alexina

Atelier pour les LEXiques INformatiques et leur Acquisition

KEYWORD: Lexical resource

FUNCTIONAL DESCRIPTION: Alexina is ALMANaCH's framework for the acquisition and modeling of morphological and syntactic lexical information. The first and most advanced lexical resource developed in this framework is the Lefff, a morphological and syntactic lexicon for French.

- Participant: Benoît Sagot
- Contact: Benoît Sagot
- URL: <http://gforge.inria.fr/projects/alexina/>

6.13. FQB

French QuestionBank

KEYWORD: Treebank

FUNCTIONAL DESCRIPTION: The French QuestionBanks is a corpus of around 2000 questions coming from various domains (TREC data set, French governmental organisation, NGOs, etc..) it contains different kind of annotations - morpho-syntactic ones (POS, lemmas) - surface syntaxe (phrase based and dependency structures) with long-distance dependency annotations.

The TREC part is aligned with the English QuestionBank (Judge et al, 2006).

- Contact: Djamé Seddah

6.14. Sequoia corpus

KEYWORD: Treebank

FUNCTIONAL DESCRIPTION: The Sequoia corpus contains French sentences, annotated with various linguistic information: - parts-of-speech - surface syntactic representations (both constituency trees and dependency trees) - deep syntactic representations (which are deep syntactic dependency graphs)

- Contact: Djamé Seddah

COML Team

5. New Software and Platforms

5.1. intphys

IntPhys: A Benchmark for Visual Intuitive Physics Reasoning

KEYWORDS: Competition - Physical simulation - Artificial intelligence - Video Game

FUNCTIONAL DESCRIPTION: The intphys benchmark can be applied to any vision system, engineered, or trained, provided it can output a scalar when presented with a video clip, which should correspond to how physically plausible the video clip is. Our test set contains well matched videos of possible versus impossible events, and the metric consists in measuring how well the vision system can tell apart the possible from the impossible events..

- Contact: Mathieu Bernard
- URL: <http://www.intphys.com>

5.2. shennong

KEYWORDS: Speech processing - Python - Information extraction - Audio signal processing

FUNCTIONAL DESCRIPTION: Shennong is a Python library which implement the most used methods for speech features extraction. Features extraction is the first step of every speech processing pipeline.

Shennong provides the following functionalities: - implementation of the main methods from state of the art (including pre and post processing) - exhaustive documentation and tests - usage from a Python API or a command line tool - simple and coherent interface

- Contact: Mathieu Bernard
- URL: <https://coml.lscp.ens.fr/docs/shennong>

5.3. Seshat

Seshat Audio Annotation Platform

KEYWORDS: Audio - Speech - Web Application - Speech-text alignment

FUNCTIONAL DESCRIPTION: A web application to ease audio annotation campaigns, while also enabling the campaign manager to ensure that all annotations stick to a predefined format.

- Partner: ENS Paris
- Contact: Hadrien Titeux
- URL: <https://github.com/bootphon/seshat>

5.4. pyGammaAgreement

KEYWORDS: Reliability - Measures

FUNCTIONAL DESCRIPTION: Python library for measuring inter and intra annotator reliability for annotation sequences

- Contact: Emmanuel Dupoux

5.5. phonemizer

KEYWORD: Text

FUNCTIONAL DESCRIPTION:

- Conversion of a text into its phonemic representation
- Wrapper on speech synthesis programs espeak and festival
- Contact: Mathieu Bernard
- URL: <https://github.com/bootphon/phonemizer>

RITS Project-Team

5. New Software and Platforms

5.1. PML-SLAM

KEYWORD: Localization

SCIENTIFIC DESCRIPTION: Simultaneous Localization and Mapping method based on 2D laser data.

- Participants: Fawzi Nashashibi and Zayed Alsayed
- Contact: Fawzi Nashashibi

5.2. V2Provue

Vehicle-to-Pedestrian

FUNCTIONAL DESCRIPTION: It is a software developed for the Vehicle-to-Pedestrian (V2P) communications, risk calculation, and alarming pedestrians of collision risk. This software is made of an Android application dedicated to pedestrians and RtMaps modules for the vehicles.

On the pedestrian side, the application is relying on GPS data to localize the user and Wi-Fi communications are used to receive messages about close vehicles and send information about the pedestrian positioning. Besides, a service has been developed to evaluate the collision risk with the vehicles near the pedestrian and an HMI based on OpenStreetMap displays all the useful information such as pedestrian and vehicles localization and, collision risk.

On the vehicle side, RtMaps modules allowing V2X communications have been developed. These modules contain features such as TCP/UDP socket transmissions, broadcast, multicast, unicast communications, routing, forwarding algorithms, and application specific modules. In the V2ProVu software, a particular application module has been implemented to create data packets containing information about the vehicle state (position, speed, yaw rate,...) and the V2X communication stack is used to broadcast these packets towards pedestrians. Moreover, the V2proVu application can also receive data from pedestrians and create objects structures that can be shared with the vehicle perception tools.

- Contact: Fawzi Nashashibi

5.3. SimConVA

Connected Autonomous Vehicles Simulator

FUNCTIONAL DESCRIPTION: The software provides an interface between the network simulator ns-3 (<https://www.nsnam.org/>) and the modular prototyping framework RTMaps (<https://intempora.com/>).

This code allows to create an RTMaps component which activates and controls the ns-3 simulator. The component handles the sending and reception of data packets between ns-3 and RTMaps for each vehicle. It also handles the mobility of vehicles in ns-3 using their known position in RTMaps.

- Authors: Pierre Merdrignac, Oyunchimeg Shagdar and Jean-Marc Lasgouttes
- Contact: Jean-Marc Lasgouttes

VALDA Project-Team

6. New Software and Platforms

6.1. ProvSQL

KEYWORDS: Databases - Provenance - Probability

FUNCTIONAL DESCRIPTION: The goal of the ProvSQL project is to add support for (m-)semiring provenance and uncertainty management to PostgreSQL databases, in the form of a PostgreSQL extension/module/plugin.

NEWS OF THE YEAR: Miscellaneous enhancements and bug fixes. Addition of a tutorial.

- Participants: Pierre Senellart and Yann Ramusat
- Contact: Pierre Senellart
- Publications: [Provenance and Probabilities in Relational Databases: From Theory to Practice - ProvSQL: Provenance and Probability Management in PostgreSQL](#)
- URL: <https://github.com/PierreSenellart/provsql>

6.2. apxproof

KEYWORD: LaTeX

FUNCTIONAL DESCRIPTION: apxproof is a LaTeX package facilitating the typesetting of research articles with proofs in appendix, a common practice in database theory and theoretical computer science in general. The appendix material is written in the LaTeX code along with the main text which it naturally complements, and it is automatically deferred. The package can automatically send proofs to the appendix, can repeat in the appendix the theorem environments stated in the main text, can section the appendix automatically based on the sectioning of the main text, and supports a separate bibliography for the appendix material.

RELEASE FUNCTIONAL DESCRIPTION: Fix formatting of theorems (and proof sketches) to be faithful to the way they are formatted in the base document class (this will change some difference in the appearance of documents typeset with earlier versions of apxproof), Configurable `mainbodyrepeatedtheorem` command to add some styling to repeated theorems, Allow using apxproof without `bibunits` (e.g., for `biblatex` compatibility), Restore predefined theorem counters, allowing more robust use of apxproof when the base document class predefines theorems.

NEWS OF THE YEAR: Major 1.2.0 release with a much more faithful rendering of theorems compared to the original base classes, bug fixes, compatibility enhancements (in particular, with respect to the use of `biblatex` or of `fancyvrb`).

- Participant: Pierre Senellart
- Contact: Pierre Senellart
- URL: <https://github.com/PierreSenellart/apxproof>

WILLOW Team

6. New Software and Platforms

6.1. Pinocchio

KEYWORDS: Robotics - Biomechanics - Mechanical multi-body systems

FUNCTIONAL DESCRIPTION: Pinocchio instantiates state-of-the-art Rigid Body Algorithms for poly-articulated systems based on revisited Roy Featherstone's algorithms. In addition, Pinocchio instantiates analytical derivatives of the main Rigid-Body Algorithms like the Recursive Newton-Euler Algorithms or the Articulated-Body Algorithm. Pinocchio is first tailored for legged robotics applications, but it can be used in extra contexts. It is built upon Eigen for linear algebra and FCL for collision detection. Pinocchio comes with a Python interface for fast code prototyping.

- Partner: CNRS
- Contact: Justin Carpentier
- URL: <https://github.com/stack-of-tasks/pinocchio>

6.2. VRAnalogy

Visual Relations detector using Analogy

KEYWORDS: Computer vision - Machine learning

FUNCTIONAL DESCRIPTION: Implementation of the paper "Detecting Unseen Visual Relations Using Analogies", Peyre et al', ICCV19

- Contact: Julia Peyre

6.3. d2-net

D2-Net: A Trainable CNN for Joint Description and Detection of Local Features

KEYWORD: Feature points

FUNCTIONAL DESCRIPTION: This repository contains the implementation of the following paper:

"D2-Net: A Trainable CNN for Joint Detection and Description of Local Features". M. Dusmanu, I. Rocco, T. Pajdla, M. Pollefeys, J. Sivic, A. Torii, and T. Sattler. CVPR 2019.

- Participants: Mihai Dusmanu, Ignacio Rocco Spremolla, Tomas Pajdla, Marc Pollefeys, Josef Sivic, Akihiko Torii and Torsten Sattler
- Contact: Ignacio Rocco Spremolla
- Publication: [D2-Net: A Trainable CNN for Joint Detection and Description of Local Features](#)
- URL: <https://github.com/mihaidusmanu/d2-net>

6.4. CrossTask

Cross-task weakly supervised learning from instructional videos

KEYWORDS: Videos - Machine learning

FUNCTIONAL DESCRIPTION: Open source release of the software package for the CVPR'19 paper "Cross-task weakly supervised learning from instructional videos" by D. Zhukov, J.-B. Alayrac, R. G. Cinbis, D. Fouhey, I. Laptev and J. Sivic

- Participants: Dimitri Zhukov, Jean-Baptiste Alayrac, Cinbis Gokberk, David Fouhey, Ivan Laptev and Josef Sivic
- Contact: Dimitri Zhukov
- URL: <https://github.com/DmZhukov/CrossTask>

6.5. MImE

Manipulation Imitation Environments

KEYWORDS: Robotics - Simulator - Computer vision

FUNCTIONAL DESCRIPTION: Simulation environment for learning robotics manipulation policies.

- Contact: Igor Kalevtykh
- URL: <https://github.com/ikalevtykh/mime/>

6.6. iReal

iReal: Implementing interactive scene understanding for a mixed reality device

KEYWORDS: Computer vision - Augmented reality - Demonstration

FUNCTIONAL DESCRIPTION: The goal of this project is to build a demonstration prototype of a smart personal assistant that sees and understands its surroundings to help the user navigate in unfamiliar environments, recognize new people and operate never seen before devices. The assistant will be implemented on the Microsoft HoloLens mixed reality device and will integrate the latest research software for automatic visual recognition and scene understanding developed in the Inria Willow team

- Contact: Mauricio Diaz

6.7. Sim2RealAugment

Learning to Augment Synthetic Images for Sim2Real Policy Transfer

KEYWORDS: Robotics - Computer vision

FUNCTIONAL DESCRIPTION: Implements the method described in Learning to Augment Synthetic Images for Sim2Real Policy Transfer (2019), A. Pashevich, R. Strudel, I. Kalevtykh, I. Laptev and C. Schmid, in Proc. IROS'19, Macau, China.

- Contact: Ivan Laptev
- URL: <http://pascal.inrialpes.fr/data2/sim2real/>

6.8. HowTo100M

HowTo100M: Learning a Text-Video Embedding by Watching Hundred Million Narrated Video Clips

KEYWORDS: Computer vision - Video analysis

FUNCTIONAL DESCRIPTION: Implements the method provides the dataset used in the paper HowTo100M: Learning a Text-Video Embedding by Watching Hundred Million Narrated Video Clips (2019), A. Miech, D. Zhukov, J.-B. Alayrac, M. Tapaswi, I. Laptev and J. Sivic, in Proc. ICCV'19, Seoul, South Korea.

- Contact: Ivan Laptev
- URL: <https://www.di.ens.fr/willow/research/howto100m/>

6.9. ObMan

Learning joint reconstruction of hands and manipulated objects

KEYWORDS: Computer vision - 3D reconstruction

FUNCTIONAL DESCRIPTION: Implements the method and provides dataset used in the paper Learning joint reconstruction of hands and manipulated objects (2019), Y. Hasson, G. Varol, D. Tzionas, I. Kalevatykh, M. Black, I. Laptev and C. Schmid, in Proc. CVPR'19, Long Beach, CA, USA.

- Contact: Yana Hasson
- URL: <https://hassony2.github.io/obman.html>